

```

16 Jul 2009 15:57:26,360 WARN
JDBCExceptionReporter, ContainerBackgroundProcessor[StandardEngine[Catalina]]: 77
- SQL Error: 0, SQLState: null
16 Jul 2009 15:57:26,360 ERROR
JDBCExceptionReporter, ContainerBackgroundProcessor[StandardEngine[Catalina]]: 78
- Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
16 Jul 2009 15:57:26,360 WARN
SettingsFactory, ContainerBackgroundProcessor[StandardEngine[Catalina]]: 117 -
Could not obtain connection metadata
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
on(LocalDataSourceConnectionProvider.java:80)
    at
org.hibernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java:84)
    at
org.hibernate.cfg.Configuration.buildSettings(Configuration.java:2073)
    at
org.hibernate.cfg.Configuration.buildSessionFactory(Configuration.java:1298)
    at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.newSessionFactory(Local
SessionFactoryBean.java:777)
    at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.afterPropertiesSet(Local
SessionFactoryBean.java:703)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.in
vokeInitMethods(AbstractAutowireCapableBeanFactory.java:1058)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:363)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:269)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Context
Loader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextL
oader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)

```

openvpms-ful l

```
at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)
at org.apache.catalina.startup.HostConfig.check(HostConfig.java:1218)
at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:293)
at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:120)
at
org.apache.catalina.core.ContainerBase.backgroundProcess(ContainerBase.java:1306)
)
at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java:1570)
at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java:1579)
at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.run(Container
Base.java:1559)
at java.lang.Thread.run(Unknown Source)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:13
86)
at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:12
32)
at java.lang.ClassLoader.loadClassInternal(Unknown Source)
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Unknown Source)
at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
0)
... 33 more
16 Jul 2009 15:57:27,438 WARN
SQLExceptionFactory,ContainerBackgroundProcessor[StandardEngine[Catalina]]:232
- Error while extracting database product name - falling back to empty error
codes
org.springframework.jdbc.support.MetaDataAccessException: Could not get
Connection for extracting meta data; nested exception is
org.springframework.jdbc.CannotGetJdbcConnectionException: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp.SQLNestedException:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.springframework.jdbc.CannotGetJdbcConnectionException: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp.SQLNestedException:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
at
org.springframework.jdbc.datasource.DataSourceUtils.doGetConnection(DataSourceUt
ils.java:107)
at
org.springframework.jdbc.datasource.DataSourceUtils.getConnection(DataSourceUtil
s.java:77)
at
org.springframework.jdbc.support.JdbcUtils.extractDatabaseMetaData(JdbcUtils.jav
```

```

a: 164)
    at
org.springframework.jdbc.support.JdbcUtils.extractDatabaseMetaData(JdbcUtils.java: 204)
    at
org.springframework.jdbc.support.SQLErrorCodesFactory.getErrorCodes(SQLErrorCodesFactory.java: 185)
    at
org.springframework.jdbc.support.SQLErrorCodeSQLExceptionTranslator.setDataSource(SQLErrorCodeSQLExceptionTranslator.java: 126)
    at
org.springframework.jdbc.support.SQLErrorCodeSQLExceptionTranslator.<init>(SQLErrorCodeSQLExceptionTranslator.java: 92)
    at
org.springframework.orm.hibernate3.SessionFactoryUtils.newJdbcExceptionHandler(SessionFactoryUtils.java: 133)
    at
org.springframework.orm.hibernate3.HibernateAccessor.getJdbcExceptionHandler(HibernateAccessor.java: 235)
    at
org.springframework.orm.hibernate3.HibernateTemplate.getSession(HibernateTemplate.java: 405)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 347)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IMObjectDAOHibernate.java: 1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQuery(IMObjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java: 451)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypDescriptorCacheDB.loadAssertionTypeDescriptors(ArchetypDescriptorCacheDB.java: 84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypDescriptorCacheDB.<init>(ArchetypDescriptorCacheDB.java: 74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java: 100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java: 75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java: 669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java: 329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java: 275)

```

openvpms-ful l

```
at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java: 318)
at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java: 134)
at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Context
Loader.java: 230)
at
org.springframework.web.context.ContextLoader.instantiateWebApplicationContext(ContextL
oader.java: 156)
at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java: 48)
at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java: 3764
)
at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java: 760)
at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java: 740)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java: 544)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java: 831)
at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java: 720)
at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java: 490)
at org.apache.catalina.startup.HostConfig.check(HostConfig.java: 1218)
at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java: 293)
at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.j a
va: 120)
at
org.apache.catalina.core.ContainerBase.backgroundProcess(ContainerBase.java: 1306
)
at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java: 1570)
at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java: 1579)
at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.run(Container
Base.java: 1559)
at java.lang.Thread.run(Unknown Source)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 13
86)
at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 12
32)
at java.lang.ClassLoader.loadClassInternal(Unknown Source)
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Unknown Source)
at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
0)
```

... 50 more

16 Jul 2009 15:57:27,469 WARN

JDBCExceptionReporter, ContainerBackgroundProcessor[StandardEngine[Catalina]]: 77  
- SQL Error: 0, SQLState: null

16 Jul 2009 15:57:27,469 ERROR

JDBCExceptionReporter, ContainerBackgroundProcessor[StandardEngine[Catalina]]: 78

openvpms-ful l

```
- Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
16 Jul 2009 15:57:27,469 WARN
JDBCExceptionReporter, ContainerBackgroundProcessor[StandardEngine[Catalina]]: 77
- SQL Error: 0, SQLState: null
16 Jul 2009 15:57:27,469 ERROR
JDBCExceptionReporter, ContainerBackgroundProcessor[StandardEngine[Catalina]]: 78
- Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
16 Jul 2009 15:57:27,484 ERROR
ContextLoader, ContainerBackgroundProcessor[StandardEngine[Catalina]]: 177 -
Context initialization failed
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjec
tDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptorCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptorCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstiti
ateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
```

```

pplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Context
tLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextL
oader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java: 3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java: 760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java: 740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java: 544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java: 831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java: 720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java: 490)
    at org.apache.catalina.startup.HostConfig.check(HostConfig.java: 1218)
    at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java: 293)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.ja
va: 120)
    at
org.apache.catalina.core.ContainerBase.backgroundProcess(ContainerBase.java: 1306
)
    at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java: 1570)
    at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java: 1579)
    at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.run(Container
Base.java: 1559)
    at java.lang.Thread.run(Unknown Source)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTransl
ator.java: 96)
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQL
LErrorCodeSQLExceptionTranslator.java: 257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(
HibernateAccessor.java: 424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java: 411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava: 363)

```

openvpms-ful l

```
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 331)
    at
org.openvpms.component.business.dao.hibernate.ImplMOjectDAOHibernate.execute(ImplMOjectDAOHibernate.java: 1093)
    at
org.openvpms.component.business.dao.hibernate.ImplMOjectDAOHibernate.executeQuery(ImplMOjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate.ImplMOjectDAOHibernate.get(ImplMOjectDAOHibernate.java: 451)
    ... 34 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 766)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java: 540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java: 80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java: 423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java: 144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java: 139)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java: 1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java: 673)
    at
org.hibernate.loader.Loader.doQueryAndListNonLazyCollections(Loader.java: 236)
    at org.hibernate.loader.Loader.doList(Loader.java: 2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java: 2136)
    at org.hibernate.loader.Loader.list(Loader.java: 2096)
    at org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java: 378)
    at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java: 338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java: 172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java: 1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java: 79)
    at
org.openvpms.component.business.dao.hibernate.ImplMOjectDAOHibernate.doList(ImplMOjectDAOHibernate.java: 619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 358)
    ... 38 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 760)
    ... 56 more
16 Jul 2009 15:57:27,484 ERROR
[/openvpms], ContainerBackgroundProcessor[StandardEngine[Catalina]]: 3768 -
```

openvpms-full

```
Exception sending context initialized event to listener instance of class
org.springframework.web.context.ContextLoaderListener
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj
ectDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Context
Loader.java:230)
    at
```

```

org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextL
oader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.Li stenerStart(StandardContext.java:3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)
    at org.apache.catalina.startup.HostConfig.check(HostConfig.java:1218)
    at
org.apache.catalina.startup.HostConfig.LifecycleEvent(HostConfig.java:293)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.ja
va:120)
    at
org.apache.catalina.core.ContainerBase.backgroundProcess(ContainerBase.java:1306
)
    at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java:1570)
    at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java:1579)
    at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.run(Container
Base.java:1559)
    at java.lang.Thread.run(Unknown Source)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTransl
ator.java:96)
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQL
LErrorCodeSQLExceptionTranslator.java:257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessExcepti on(
HibernateAccessor.java:424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java:411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava:363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava:331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java:1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue

```

```

ry(IMObjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java: 451)
    ... 34 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 766)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java: 540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java: 80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java: 423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java: 144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java: 139)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java: 1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java: 673)
    at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java: 236)
    at org.hibernate.loader.Loader.doList(Loader.java: 2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java: 2136)
    at org.hibernate.loader.Loader.list(Loader.java: 2096)
    at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java: 378)
    at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java: 338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java: 172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java: 1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java: 79)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.doInHibernate(IMObjectDAOHibernate.java: 619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 358)
    ... 38 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 760)
    ... 56 more
16 Jul 2009 15:57:27,484 ERROR
[/openvpms], ContainerBackgroundProcessor[StandardEngine[Catalina]]: 3768 -
Exception sending context initialized event to listener instance of class
org.acegi.security.ui.session.HttpSessionEventPublisher
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes

```

openvpms-ful l

```
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjec
tDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Contex
tLoader.java:230)
    at
org.springframework.web.context.ContextLoader.instantiateWebApplicationContext(Contex
tLoader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3764
)
```

openvpms-ful l

```
at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)
at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)
at org.apache.catalina.startup.HostConfig.check(HostConfig.java:1218)
at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:293)
at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:120)
at
org.apache.catalina.core.ContainerBase.backgroundProcess(ContainerBase.java:1306)
)
at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java:1570)
at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.processChild
ren(ContainerBase.java:1579)
at
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.run(Container
Base.java:1559)
at java.lang.Thread.run(Unknown Source)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLSta
teSQLExceptionTranslator.java:96)
at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQL
LErrorCodeSQLExceptionTranslator.java:257)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessExcepti
on(HibernateAccessor.java:424)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java:411)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl
ate.java:363)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl
ate.java:331)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java:1093)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java:587)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObje
ctDAOHibernate.java:451)
... 34 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
at
```

```

org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java: 540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
on(LocalDataSourceConnectionProvider.java: 80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java: 423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java: 144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java: 13
9)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java: 1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java: 673)
    at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java: 2
36)
    at org.hibernate.loader.Loader.doList(Loader.java: 2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java: 2136)
    at org.hibernate.loader.Loader.list(Loader.java: 2096)
    at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java: 378)
    at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java: 338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java: 172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java: 1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java: 79)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate5.doInHibe
rnate(IMObjectDAOHibernate.java: 619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava: 358)
    ... 38 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 13
86)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 12
32)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
0)
    ... 56 more
17 Jul 2009 08:16:47,776 WARN JDBCExceptionReporter, Thread-1: 77 - SQL Error: 0,
SQLState: null
17 Jul 2009 08:16:47,776 ERROR JDBCExceptionReporter, Thread-1: 78 - Cannot load
JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:16:47,791 WARN SettingsFactory, Thread-1: 117 - Could not obtain
connection metadata
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java: 540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
on(LocalDataSourceConnectionProvider.java: 80)
    at
org.hibernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java: 84)

```

```

    at
org.hibernate.cfg.Configuration.buidSettings(Configuration.java:2073)
    at
org.hibernate.cfg.Configuration.buidSessionFactory(Configuration.java:1298)
    at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.newSessionFactory(LocalSessionFactoryBean.java:777)
    at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.afterPropertiesSet(LocalSessionFactoryBean.java:703)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1058)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:363)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:269)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3764)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)
    at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1150)
    at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:311)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:120)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1022)
    at org.apache.catalina.core.StandardHost.start(StandardHost.java:736)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1014)
    at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
    at
org.apache.catalina.core.StandardService.start(StandardService.java:448)

```

openvpms-ful l

```
at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
  at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
  at sun.reflect.NativeMethodAccessorImpl.invoke0(NativeMethod)
  at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
  at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
  at java.lang.reflect.Method.invoke(Unknown Source)
  at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
  at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
  at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
  at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:132)
  at java.lang.ClassLoader.loadClassInternal(Unknown Source)
  at java.lang.Class.forName0(Native Method)
  at java.lang.Class.forName(Unknown Source)
  at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
  ... 41 more
17 Jul 2009 08:16:49,619 WARN SQLErrorCodesFactory,Thread-1:232 - Error while
extracting database product name - falling back to empty error codes
org.springframework.jdbc.support.MetaDataAccessException: Could not get
Connection for extracting meta data; nested exception is
org.springframework.jdbcCannotGetJdbcConnectionException: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp.SQLNestedException:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.springframework.jdbcCannotGetJdbcConnectionException: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp.SQLNestedException:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
  at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
  at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
  at
org.springframework.jdbc.datasource.DataSourceUtils.doGetConnection(DataSourceUtils.java:107)
  at
org.springframework.jdbc.datasource.DataSourceUtils.getConnection(DataSourceUtils.java:77)
  at
org.springframework.jdbc.support.JdbcUtils.extractDatabaseMetaData(JdbcUtils.java:164)
  at
org.springframework.jdbc.support.JdbcUtils.extractDatabaseMetaData(JdbcUtils.java:204)
  at
org.springframework.jdbc.support.SQLErrorCodesFactory.getErrorCodes(SQLErrorCodesFactory.java:185)
  at
org.springframework.jdbc.support.SQLErrorCodeSQLExceptionTranslator.setDataSource(SQLErrorCodeSQLExceptionTranslator.java:126)
  at
org.springframework.jdbc.support.SQLErrorCodeSQLExceptionTranslator.<init>(SQLExceptionTranslator.java:92)
  at
org.springframework.orm.hibernate3.SessionFactoryUtils.newJdbcExceptionHandler(SessionFactoryUtils.java:133)
  at
org.springframework.orm.hibernate3.HibernateAccessor.getJdbcExceptionHandler(HibernateAccessor.java:235)
  at
```

openvpms-ful l

```
org.springframework.orm.hibernate3.HibernateTemplate.getSession(HibernateTemplate.java: 405)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 347)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 331)
    at
org.openvpms.component.business.dao.hibernate.Impl.ImplObjectDAOHibernate.execute(ImplObjectDAOHibernate.java: 1093)
    at
org.openvpms.component.business.dao.hibernate.Impl.ImplObjectDAOHibernate.executeQueue(ImplObjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate.Impl.ImplObjectDAOHibernate.get(ImplObjectDAOHibernate.java: 451)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java: 84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.<init>(ArchetypeDescriptorCacheDB.java: 74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java: 100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java: 75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java: 669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java: 329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java: 275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.ListenerStart(StandardContext.java: 3764)
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
```

openvpms-ful l

```
at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)
at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)
at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1150)
at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:311)
at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:120)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1022)
at org.apache.catalina.core.StandardHost.start(StandardHost.java:736)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1014)
at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
at
org.apache.catalina.core.StandardService.start(StandardService.java:448)
at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
at sun.reflect.NativeMethodAccessorImpl.invoke0(NativeMethod)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1232)
at java.lang.ClassLoader.loadClassInternal(Unknown Source)
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Unknown Source)
at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
... 58 more
17 Jul 2009 08:16:49,713 WARN JDBCExceptionReporter, Thread-1: 77 - SQL Error: 0,
SQLState: null
17 Jul 2009 08:16:49,713 ERROR JDBCExceptionReporter, Thread-1: 78 - Cannot load
JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:16:49,713 WARN JDBCExceptionReporter, Thread-1: 77 - SQL Error: 0,
SQLState: null
17 Jul 2009 08:16:49,713 ERROR JDBCExceptionReporter, Thread-1: 78 - Cannot load
JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:16:49,744 ERROR ContextLoader, Thread-1: 177 - Context
initialization failed
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
```

openvpms-ful l

```
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Contex
tLoader.java:230)
    at
org.springframework.web.context.ContextLoader.instantiateWebApplicationContext(Contex
tLoader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java:3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
```

```

                                openvpms-ful l
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)
    at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1150)
    at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:311)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:120)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1022)
    at org.apache.catalina.core.StandardHost.start(StandardHost.java:736)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1014)
    at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
    at
org.apache.catalina.core.StandardService.start(StandardService.java:448)
    at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
    at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(NativeMethod)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
    at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(
HibernateAccessor.java:424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java:411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava:363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava:331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java:1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java:587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMobje
ctDAOHibernate.java:451)
    ... 42 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC dri
ver
class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
    at

```

openvpms-ful l

```
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(
LocalDataSourceConnectionProvider.java:80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:139)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java:236)
    at org.hibernate.loader.Loader.doList(Loader.java:2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hibernate.loader.Loader.list(Loader.java:2096)
    at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java:378)
    at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java:1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java:79)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.doInHibernate(
IMObjectDAOHibernate.java:619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:358)
    ... 46 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:132)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
    ... 64 more
17 Jul 2009 08:16:49,744 ERROR [/openvpms], Thread-1: 3768 - Exception sending
context initialized event to listener instance of class
org.springframework.web.context.ContextLoaderListener
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
```

```

org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO
with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObject
ctDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescr
iptorCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Contex
tLoader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextL
oader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)

```

openvpms-ful l

```
at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1150)
at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:311)
at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:120)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1022)
at org.apache.catalina.core.StandardHost.start(StandardHost.java:736)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1014)
at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
at
org.apache.catalina.core.StandardService.start(StandardService.java:448)
at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
at sun.reflect.NativeMethodAccessorImpl.invoke0(NativeMethod)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:257)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(HibernateAccessor.java:424)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessException(HibernateAccessor.java:411)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:363)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:331)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IMObjectDAOHibernate.java:1093)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQuery(IMObjectDAOHibernate.java:587)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:451)
... 42 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java:80)
at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
```

openvpms-ful l

```
at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:139)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java:236)
    at org.hibernate.loader.Loader.doList(Loader.java:2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hibernate.loader.Loader.list(Loader.java:2096)
    at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java:378)
    at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java:1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java:79)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate5.doInHibernate(IMObjectDAOHibernate.java:619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:358)
    ... 46 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
    ... 64 more
17 Jul 2009 08:16:49,776 ERROR [/openvpms], Thread-1: 3768 - Exception sending
context initialized event to listener instance of class
org.acegi.security.ui.session.HttpSessionEventPublisher
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObject
```

```

ctDAOHibernate.java: 455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB.loadAssertionTypeDescriptors(ArchetypDescriptorCacheDB.j
ava: 84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB.<init>(ArchetypDescriptorCacheDB.java: 74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java: 100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instanti
ate(SimpleInstantiationStrategy.java: 75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.
autowireConstructor(AbstractAutowireCapableBeanFactory.java: 669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.
createBean(AbstractAutowireCapableBeanFactory.java: 329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(Abstract
BeanFactory.java: 226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(Abstract
BeanFactory.java: 147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preIn
stantiateSingletons(DefaultListableBeanFactory.java: 275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(Abstract
ApplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Cont
extLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.instantiateWebApplicationContext(Cont
extLoader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Cont
extLoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.ListenerStart(StandardContext.java: 3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java: 760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java: 740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java: 544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java: 831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java: 720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java: 490)
    at org.apache.catalina.startup.HostConfig.start(HostConfig.java: 1150)
    at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java: 311)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.j
ava: 120)

```

openvpms-ful l

```
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1022)
at org.apache.catalina.core.StandardHost.start(StandardHost.java:736)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1014)
at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
at
org.apache.catalina.core.StandardService.start(StandardService.java:448)
at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:257)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(HibernateAccessor.java:424)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessException(HibernateAccessor.java:411)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:363)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:331)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IMObjectDAOHibernate.java:1093)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQuery(IMObjectDAOHibernate.java:587)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:451)
... 42 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java:80)
at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:139)
at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
```

```

                                openvpms-ful l
    at org.hi.bernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hi.bernate.loader.Loader.doQueryAndInitializeNonLazyColumnDefinitions(Loader.java:2
36)
    at org.hi.bernate.loader.Loader.doList(Loader.java:2213)
    at org.hi.bernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hi.bernate.loader.Loader.list(Loader.java:2096)
    at org.hi.bernate.loader.hql.QueryLoader.list(QueryLoader.java:378)
    at
org.hi.bernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at
org.hi.bernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
    at org.hi.bernate.impl.SessionImpl.list(SessionImpl.java:1121)
    at org.hi.bernate.impl.QueryImpl.list(QueryImpl.java:79)
    at
org.openvpms.component.business.dao.hi.bernate.ImplMOBJectDAOHiBernate$.doInHiBe
rnate(ImplMOBJectDAOHiBernate.java:619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava:358)
    ... 46 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:13
86)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:12
32)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
0)
    ... 64 more
17 Jul 2009 08:18:53,052 WARN JDBCExceptionReporter, http-8080-Processor23:77 -
SQL Error: 0, SQLState: null
17 Jul 2009 08:18:53,052 ERROR JDBCExceptionReporter, http-8080-Processor23:78 -
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:18:53,052 WARN SettingsFactory, http-8080-Processor23:117 - Could
not obtain connection metadata
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
(LocalDataSourceConnectionProvider.java:80)
    at
org.hi.bernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java:84)
    at
org.hi.bernate.cfg.Configuration.buildSettings(Configuration.java:2073)
    at
org.hi.bernate.cfg.Configuration.buildSessionFactory(Configuration.java:1298)
    at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.newSessionFactory(Loc
alSessionFactoryBean.java:777)
    at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.afterPropertiesSet(Loc
alSessionFactoryBean.java:703)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.in
vokeInitMethods(AbstractAutowireCapableBeanFactory.java:1058)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre

```

```

ateBean(AbstractAutowireCapableBeanFactory.java: 363)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java: 269)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java: 3764)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java: 1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java: 549)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java: 105)
    at
    javax.servlet.http.HttpServlet.service(HttpServlet.java: 627)
    at
    javax.servlet.http.HttpServlet.service(HttpServlet.java: 729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java: 269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java: 188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java: 213)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java: 172)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java: 525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java: 127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java: 117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java: 108)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java: 174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java: 875)
    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConnection

```

```

cti on(Http11BaseProtocol . java: 665)
    at
org. apache. tomcat. util . net. Pool TcpEndpoi nt. processSocket(Pool TcpEndpoi nt. java: 52
8)
    at
org. apache. tomcat. util . net. LeaderFol lowerWorkerThread. runI t(LeaderFol lowerWorker
Thread. java: 81)
    at
org. apache. tomcat. util . threads. ThreadPool $Control Runnabl e. run(ThreadPool . java: 68
9)
    at java. lang. Thread. run(Unknown Source)
Caused by: java. lang. ClassNotFoundExcepti on: com. mysql . jdbc. Dri ver
    at
org. apache. catal i na. loader. WebappCl assLoader. loadCl ass(WebappCl assLoader. java: 13
86)
    at
org. apache. catal i na. loader. WebappCl assLoader. loadCl ass(WebappCl assLoader. java: 12
32)
    at java. lang. Cl assLoader. loadCl assInternal (Unknown Source)
    at java. lang. Cl ass. forName0(Nati ve Method)
    at java. lang. Cl ass. forName(Unknown Source)
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. java: 76
0)
    ... 39 more
17 Jul 2009 08:18:54,021 WARN SQLErrorCodesFactory,http-8080-Processor23:232 -
Error while extracting database product name - falling back to empty error codes
org. springframework. jdbc. support. MetadataAccessExcepti on: Could not get
Connection for extracting meta data; nested excepti on is
org. springframework. jdbc. CannotGetJdbcConnecti onExcepti on: Could not get JDBC
Connection; nested excepti on is org. apache. commons. dbcp. SQLNestedExcepti on:
Cannot load JDBC dri ver class 'com. mysql . jdbc. Dri ver'
org. springframework. jdbc. CannotGetJdbcConnecti onExcepti on: Could not get JDBC
Connection; nested excepti on is org. apache. commons. dbcp. SQLNestedExcepti on:
Cannot load JDBC dri ver class 'com. mysql . jdbc. Dri ver'
org. apache. commons. dbcp. SQLNestedExcepti on: Cannot load JDBC dri ver class
'com. mysql . jdbc. Dri ver'
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. java: 76
6)
    at
org. apache. commons. dbcp. Basi cDataSource. getConnecti on(Basi cDataSource. java: 540)
    at
org. spri ngframework. jdbc. datasource. DataSourceUt i l s. doGetConnecti on(DataSourceUt
i l s. java: 107)
    at
org. spri ngframework. jdbc. datasource. DataSourceUt i l s. getConnecti on(DataSourceUt i
l s. java: 77)
    at
org. spri ngframework. jdbc. support. JdbcUt i l s. extractDatabaseMetaData(JdbcUt i l s. jav
a: 164)
    at
org. spri ngframework. jdbc. support. JdbcUt i l s. extractDatabaseMetaData(JdbcUt i l s. jav
a: 204)
    at
org. spri ngframework. jdbc. support. SQLErrorCodesFactory. getErrorCodes(SQLErrorCode
sFactory. java: 185)
    at
org. spri ngframework. jdbc. support. SQLErrorCodesFactory. setErrorCodes(SQLErrorCode
sFactory. java: 126)
    at
org. spri ngframework. jdbc. support. SQLErrorCodesFactory. setErrorCodes(SQLErrorCode
sFactory. java: 92)
    at
org. spri ngframework. orm. hi bernate3. Sessi onFactoryUt i l s. newJdbcExcepti onTransl ato
r(Sessi onFactoryUt i l s. java: 133)
    at
org. spri ngframework. orm. hi bernate3. Hi bernateAccessor. getJdbcExcepti onTransl ator(

```

```

Hi bernateAccessor. java: 235)
    at
org. springframework. orm. hi bernate3. Hi bernateTempl ate. getSessi on(Hi bernateTempl at
e. java: 405)
    at
org. springframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 347)
    at
org. springframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 331)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I MObj ectDAOHi bernate. execute(I M
Obj ectDAOHi bernate. java: 1093)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I MObj ectDAOHi bernate. executeQue
ry(I MObj ectDAOHi bernate. java: 587)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I MObj ectDAOHi bernate. get(I MObj e
ctDAOHi bernate. java: 451)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. loadAsserti onTypeDescri ptors(ArchetypeDescri ptorCacheDB. java: 84)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. <i ni t>(ArchetypeDescri ptorCacheDB. java: 74)
    at sun. refl ect. Nati veConstructorAccessorImpl . newI nstance0(Nati ve Method)
    at sun. refl ect. Nati veConstructorAccessorImpl . newI nstance(Unknown Source)
    at sun. refl ect. Del egati ngConstructorAccessorImpl . newI nstance(Unknown
Source)
    at java. lang. refl ect. Constructor. newI nstance(Unknown Source)
    at
org. springframework. beans. BeanUti l s. i nstanti ateCl ass(BeanUti l s. java: 100)
    at
org. springframework. beans. factory. support. Si mpl eI nstanti ati onStrategy. i nstanti at
e(Si mpl eI nstanti ati onStrategy. java: 75)
    at
org. springframework. beans. factory. support. AbstractAutowi reCapabl eBeanFactory. aut
owi reConstructor(AbstractAutowi reCapabl eBeanFactory. java: 669)
    at
org. springframework. beans. factory. support. AbstractAutowi reCapabl eBeanFactory. cre
ateBean(AbstractAutowi reCapabl eBeanFactory. java: 329)
    at
org. springframework. beans. factory. support. AbstractBeanFactory. getBean(AbstractBe
anFactory. java: 226)
    at
org. springframework. beans. factory. support. AbstractBeanFactory. getBean(AbstractBe
anFactory. java: 147)
    at
org. springframework. beans. factory. support. Defaul tLi stabl eBeanFactory. preI nstanti
ateSi ngl etons(Defaul tLi stabl eBeanFactory. java: 275)
    at
org. springframework. context. support. AbstractAppl i cati onContext. refresh(AbstractA
ppl i cati onContext. java: 318)
    at
org. springframework. web. context. support. AbstractRefreshabl eWebAppl i cati onContext
. refresh(AbstractRefreshabl eWebAppl i cati onContext. java: 134)
    at
org. springframework. web. context. ContextLoader. createWebAppl i cati onContext(Context
tLoader. java: 230)
    at
org. springframework. web. context. ContextLoader. i ni tWebAppl i cati onContext(ContextL
oader. java: 156)
    at
org. springframework. web. context. ContextLoaderLi stener. contextI ni ti al ized(Context
LoaderLi stener. java: 48)
    at
org. apache. catal i na. core. StandardContext. I i stenerStart(StandardContext. java: 3764
)

```

openvpms-ful l

```
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java:1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java:549)
)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:105)
)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:213)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:172)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108)
)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:875)
    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConnection(Http11BaseProtocol.java:665)
    at
org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java:528)
    at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.run(LeaderFollowerWorkerThread.java:81)
    at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java:689)
    at java.lang.Thread.run(Unknown Source)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
```

... 56 more

17 Jul 2009 08:18:54,068 WARN JDBCExceptionReporter, http-8080-Processor23: 77 - SQL Error: 0, SQLState: null

17 Jul 2009 08:18:54,068 ERROR JDBCExceptionReporter, http-8080-Processor23: 78 -

openvpms-ful l

```
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:18:54,068 WARN JDBCExceptionReporter, http-8080-Processor23:77 -
SQL Error: 0, SQLState: null
17 Jul 2009 08:18:54,068 ERROR JDBCExceptionReporter, http-8080-Processor23:78 -
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:18:54,083 ERROR ContextLoader, http-8080-Processor23:177 - Context
initialization failed
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMobje
ctDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
```

```

.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Context
Loader.java: 230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextL
oader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.ListenerStart(StandardContext.java: 3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java: 1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java: 549
)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java: 105
)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java: 627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java: 729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilter
Chain.java: 269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.
java: 188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java: 2
13)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java: 1
72)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.jav
a: 525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java: 127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java: 117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java: 108
)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java: 174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java: 875)
    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConne
ction(Http11BaseProtocol.java: 665)
    at
org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java: 52
8)
    at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.run(LeaderFollowerWorker
Thread.java: 81)
    at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java: 68
9)
    at java.lang.Thread.run(Unknown Source)

```

Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL state [null]; error code [0]; Cannot load JDBC driver class 'com.mysql.jdbc.Driver'; nested exception is

openvpms-ful l

```
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLSta
teSQLExceptionTranslator.java:96)
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQL
LErrorCodeSQLExceptionTranslator.java:257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessExcepti on(
HibernateAccessor.java:424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java:411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate.j
ava:363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate.j
ava:331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java:1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java:587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj e
ctDAOHibernate.java:451)
    ... 40 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
(LocalDataSourceConnectionProvider.java:80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:13
9)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hibernate.loader.Loader.doQueryAndListInitializableNonLazyCollections(Loader.j
ava:236)
    at org.hibernate.loader.Loader.doList(Loader.java:2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hibernate.loader.Loader.list(Loader.java:2096)
    at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java:378)
    at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java:1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java:79)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate$5.doListHi be
rnate(IMObjectDAOHibernate.java:619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate.j
ava:358)
```

```

... 44 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
... 62 more
17 Jul 2009 08:18:54,083 ERROR [/openvpms], http-8080-Processor23:3768 -
Exception sending context initialized event to listener instance of class
org.springframework.web.context.ContextLoaderListener
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj
ectDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)

```

```

    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Context
Loader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextL
oader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java:1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java:549
)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:105
)
    at
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilt
erChain.java:269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.
java:188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:2
13)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:1
72)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.jav
a:525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108
)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:875)
    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConne
ction(Http11BaseProtocol.java:665)
    at
org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java:52
8)

```

```

    at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.run(LeaderFollowerWorker
Thread.java:81)
    at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java:68
9)
    at java.lang.Thread.run(Unknown Source)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLSta
teSQLExceptionTranslator.java:96)
    at
org.springframework.jdbc.support.SQLExceptionCodeSQLExceptionTranslator.translate(SQ
LErrorCodeSQLExceptionTranslator.java:257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessExcepti on(
HibernateAccessor.java:424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java:411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate.j
ava:363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate.j
ava:331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java:1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java:587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj e
ctDAOHibernate.java:451)
    ... 40 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC dri ver
class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
(LocalDataSourceConnectionProvider.java:80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:13
9)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hibernate.loader.Loader.doQueryAndListNonLazyCollections(Loader.java:2
36)
    at org.hibernate.loader.Loader.doList(Loader.java:2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hibernate.loader.Loader.list(Loader.java:2096)
    at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java:378)
    at

```

```

                                openvpms-ful l
org. hi bernate. hql . ast. QueryTransl atorImpl . l i st(QueryTransl atorImpl . j ava: 338)
    at
org. hi bernate. engi ne. query. HQLQueryPl an. performLi st(HQLQueryPl an. j ava: 172)
    at org. hi bernate. impl . Sessi onImpl . l i st(Sessi onImpl . j ava: 1121)
    at org. hi bernate. impl . QueryImpl . l i st(QueryImpl . j ava: 79)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. l MObj ectDAOHi bernate$5. do l nHi be
r nate(l MObj ectDAOHi bernate. j ava: 619)
    at
org. spri ngframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 358)
    ... 44 more
Caused by: j ava. l ang. Cl assNotFoundExcepti on: com. mysql . j dbc. Dri ver
    at
org. apache. catal i na. l oader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. j ava: 13
86)
    at
org. apache. catal i na. l oader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. j ava: 12
32)
    at j ava. l ang. Cl assLoader. l oadCl assInternal (Unknown Source)
    at j ava. l ang. Cl ass. forName0(Nati ve Method)
    at j ava. l ang. Cl ass. forName(Unknown Source)
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. j ava: 76
0)
    ... 62 more
17 Jul 2009 08:18:54,083 ERROR [/openvpms], http-8080-Processor23: 3768 -
Exception sending context initialized event to listener instance of class
org. acegi securi ty. ui. sessi on. HttpSessi onEventPubl i sher
org. spri ngframework. beans. factory. BeanCreati onExcepti on: Error creating bean
with name 'archetypeDescri ptorCache' defined in ServletContext resource
[/WEB-INF/applicati onContext.xml]: Instanti ati on of bean failed; nested
excepti on i s org. spri ngframework. beans. Fatal BeanExcepti on: Could not instanti ate
class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
cri ptorCacheDB]; constructor threw excepti on; nested excepti on i s
org. openvpms. component. busi ness. dao. i m. common. l MObj ectDAOExcepti on: Failed to
find l MObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. i m. archetype. Asserti onTypeDescri pt
orDO with shortName: descri ptor. asserti onType and instanceName: null .
org. spri ngframework. beans. Fatal BeanExcepti on: Could not instanti ate class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
cri ptorCacheDB]; constructor threw excepti on; nested excepti on i s
org. openvpms. component. busi ness. dao. i m. common. l MObj ectDAOExcepti on: Failed to
find l MObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. i m. archetype. Asserti onTypeDescri pt
orDO with shortName: descri ptor. asserti onType and instanceName: null .
org. openvpms. component. busi ness. dao. i m. common. l MObj ectDAOExcepti on: Failed to
find l MObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. i m. archetype. Asserti onTypeDescri pt
orDO with shortName: descri ptor. asserti onType and instanceName: null .
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. l MObj ectDAOHi bernate. get(l MObj e
ctDAOHi bernate. j ava: 455)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. l oadAsserti onTypeDescri ptors(ArchetypeDescri ptorCacheDB. j ava: 84)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. <i ni t>(ArchetypeDescri ptorCacheDB. j ava: 74)
    at sun. refl ect. Nati veConstructorAccessorImpl . newl nstance0(Nati ve Method)
    at sun. refl ect. Nati veConstructorAccessorImpl . newl nstance(Unknown Source)
    at sun. refl ect. Del egati ngConstructorAccessorImpl . newl nstance(Unknown
Source)
    at j ava. l ang. refl ect. Constructor. newl nstance(Unknown Source)
    at
org. spri ngframework. beans. BeanUti l s. i nstanti ateCl ass(BeauUti l s. j ava: 100)
    at

```

openvpms-ful l

```
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3764)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java:1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java:549)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:105)
    at
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:213)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:172)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108)
```

```

)
  at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:174)
  at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:875)
  at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConne
cti on(Http11BaseProtocol.java:665)
  at
org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java:52
8)
  at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.run(LeaderFollowerWorker
Thread.java:81)
  at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java:68
9)
  at java.lang.Thread.run(Unknown Source)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
  at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTransl
ator.java:96)
  at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQL
LErrorCodeSQLExceptionTranslator.java:257)
  at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessExcepti on(
HibernateAccessor.java:424)
  at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
ti on(HibernateAccessor.java:411)
  at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate.j
ava:363)
  at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate.j
ava:331)
  at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java:1093)
  at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java:587)
  at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj e
ctDAOHibernate.java:451)
  ... 40 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
  at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
  at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
  at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
on(LocalDataSourceConnectionProvider.java:80)
  at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
  at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
  at
org.hibernate.jdbc.AbstractBatcher.prepareQueryStatement(AbstractBatcher.java:13

```

```

9)      at org.hibernate.loader.Loader.prepareQueryStatement(Loader.java:1547)
        at org.hibernate.loader.Loader.doQuery(Loader.java:673)
        at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java:2
36)
        at org.hibernate.loader.Loader.doList(Loader.java:2213)
        at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
        at org.hibernate.loader.Loader.list(Loader.java:2096)
        at org.hibernate.hql.QueryLoader.list(QueryLoader.java:378)
        at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
        at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
        at org.hibernate.impl.SessionImpl.list(SessionImpl.java:1121)
        at org.hibernate.impl.QueryImpl.list(QueryImpl.java:79)
        at
org.openvpms.component.business.dao.hibernate.ImplMOjectDAOHibernate5.doInHibernate(ImplMOjectDAOHibernate5.java:619)
        at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:358)
        ... 44 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
        at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:13
86)
        at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:12
32)
        at java.lang.ClassLoader.loadClassInternal(Unknown Source)
        at java.lang.Class.forName0(Native Method)
        at java.lang.Class.forName(Unknown Source)
        at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
0)
        ... 62 more
17 Jul 2009 08:19:04,833 WARN JDBCExceptionReporter, http-8080-Processor23:77 -
SQL Error: 0, SQLState: null
17 Jul 2009 08:19:04,833 ERROR JDBCExceptionReporter, http-8080-Processor23:78 -
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:19:04,833 WARN SettingsFactory, http-8080-Processor23:117 - Could
not obtain connection metadata
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
        at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
        at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
        at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
on(LocalDataSourceConnectionProvider.java:80)
        at
org.hibernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java:84)
        at
org.hibernate.cfg.Configuration.buildSettings(Configuration.java:2073)
        at
org.hibernate.cfg.Configuration.buildSessionFactory(Configuration.java:1298)
        at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.newSessionFactory(Local
SessionFactoryBean.java:777)
        at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.afterPropertiesSet(Local
SessionFactoryBean.java:703)
        at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invo
keInitMethods(AbstractAutowireCapableBeanFactory.java:1058)

```

```
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:363)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:269)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3764)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java:1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java:549)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:105)
    at
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:213)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:172)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:875)
```

```

    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConne
cti on(Http11BaseProtocol.java:665)
    at
org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java:52
8)
    at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.runIt(LeaderFollowerWorker
Thread.java:81)
    at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java:68
9)
    at java.lang.Thread.run(Unknown Source)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:13
86)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:12
32)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
0)
    ... 39 more
17 Jul 2009 08:19:05,739 WARN SQLErrorCodesFactory,http-8080-Processor23:232 -
Error while extracting database product name - falling back to empty error codes
org.springframework.jdbc.support.MetaDataAccessException: Could not get
Connection for extracting meta data; nested exception is
org.springframework.jdbc.support.MetaDataAccessException: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp.SQLNestedException:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.springframework.jdbc.support.MetaDataAccessException: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp.SQLNestedException:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.jdbc.datasource.DataSourceUtils.doGetConnection(DataSourceUt
ils.java:107)
    at
org.springframework.jdbc.datasource.DataSourceUtils.getConnection(DataSourceUtil
s.java:77)
    at
org.springframework.jdbc.support.JdbcUtils.extractDatabaseMetaData(JdbcUtils.jav
a:164)
    at
org.springframework.jdbc.support.JdbcUtils.extractDatabaseMetaData(JdbcUtils.jav
a:204)
    at
org.springframework.jdbc.support.SQLErrorCodesFactory.getErrorCodes(SQLErrorCode
sFactory.java:185)
    at
org.springframework.jdbc.support.SQLErrorCodesFactory.getErrorCodes(SQLErrorCode
sFactory.java:126)
    at
org.springframework.jdbc.support.SQLErrorCodesFactory.<init>(SQLEr
rorCodesFactory.java:92)
    at
org.springframework.orm.hibernate3.SessionFactoryUtils.newJdbcExceptionTranslato
r(SessionFactoryUtils.java:133)

```

```

    at
org.springframework.orm.hibernate3.HibernateAccessor.getJdbcExceptionHandler(
HibernateAccessor.java: 235)
    at
org.springframework.orm.hibernate3.HibernateTemplate.getSession(HibernateTempl at
e.java: 405)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate. j
ava: 347)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate. j
ava: 331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java: 1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj e
ctDAOHibernate.java: 451)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
ri ptorCacheDB.loadAssertionTypeDescriptors(ArchetypeDescr iptorCacheDB. j ava: 84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
ri ptorCacheDB.<init>(ArchetypeDescr iptorCacheDB. j ava: 74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils. j ava: 100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy. j ava: 75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory. j ava: 669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory. j ava: 329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory. j ava: 226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory. j ava: 147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory. j ava: 275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicati onContext. j ava: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicati onContext
.refresh(AbstractRefreshableWebApplicati onContext. j ava: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicati onContext(Contex
tLoader. j ava: 230)
    at
org.springframework.web.context.ContextLoader.initWebApplicati onContext(ContextL
oader. j ava: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextIniti alized(Context
LoaderLi stener. j ava: 48)
    at

```

openvpms-ful l

```
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java: 3764)
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java: 1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java: 549)
)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java: 105)
)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java: 627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java: 729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java: 269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java: 188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java: 213)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java: 172)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java: 525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java: 127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java: 117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java: 108)
)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java: 174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java: 875)
    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConnection(Http11BaseProtocol.java: 665)
    at
org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java: 528)
)
    at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.run(LeaderFollowerWorkerThread.java: 81)
    at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java: 689)
)
    at java.lang.Thread.run(Unknown Source)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 760)
```

... 56 more

17 Jul 2009 08:19:05,770 WARN JDBCExceptionReporter, http-8080-Processor23: 77 -

openvpms-ful l

```
SQL Error: 0, SQLState: null
17 Jul 2009 08:19:05,770 ERROR JDBCExceptionReporter, http-8080-Processor23: 78 -
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:19:05,770 WARN JDBCExceptionReporter, http-8080-Processor23: 77 -
SQL Error: 0, SQLState: null
17 Jul 2009 08:19:05,770 ERROR JDBCExceptionReporter, http-8080-Processor23: 78 -
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:19:05,786 ERROR ContextLoader, http-8080-Processor23: 177 - Context
initialization failed
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj e
ctDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
```

```

    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Context
Loader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextL
oader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.ListenerStart(StandardContext.java:3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java:1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java:549
)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:105
)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilt
erChain.java:269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.
java:188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:2
13)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:1
72)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.jav
a:525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108
)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:875)
    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConne
ction(Http11BaseProtocol.java:665)
    at
org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java:52
8)
    at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.run(LeaderFollowerWorker
Thread.java:81)
    at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java:68
9)
    at java.lang.Thread.run(Unknown Source)

```

Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate  
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL

```

                                openvpms-full
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(HibernateAccessor.java:424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessException(HibernateAccessor.java:411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IMObjectDAOHibernate.java:1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQuery(IMObjectDAOHibernate.java:587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:451)
    ... 40 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java:80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:139)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java:236)
    at org.hibernate.loader.Loader.doList(Loader.java:2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hibernate.loader.Loader.list(Loader.java:2096)
    at org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java:1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java:79)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate$5.doInHibernate(IMObjectDAOHibernate.java:619)
    at

```

openvpms-ful l

```
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:358)
    ... 44 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
    ... 62 more
17 Jul 2009 08:19:05,786 ERROR [/openvpms], http-8080-Processor23:3768 -
Exception sending context initialized event to listener instance of class
org.springframework.web.context.ContextLoaderListener
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj
ectDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
```

```
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java:3764)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java:1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java:549)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:105)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:213)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:172)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:875)
    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConnection(Http11BaseProtocol.java:665)
    at
```

```

org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java: 52
8)
    at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.run(LeaderFollowerWorker
Thread.java: 81)
    at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java: 68
9)
    at java.lang.Thread.run(Unknown Source)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLSta
teSQLExceptionTranslator.java: 96)
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQL
LErrorCodeSQLExceptionTranslator.java: 257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessExcepti on(
HibernateAccessor.java: 424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java: 411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate. j
ava: 363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl ate. j
ava: 331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java: 1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj e
ctDAOHibernate.java: 451)
    ... 40 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC dri ver
class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java: 540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
on(LocalDataSourceConnectionProvider.java: 80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java: 423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java: 144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java: 13
9)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java: 1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java: 673)
    at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java: 2
36)
    at org.hibernate.loader.Loader.doList(Loader.java: 2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java: 2136)
    at org.hibernate.loader.Loader.list(Loader.java: 2096)

```

```

                                openvpms-ful l
        at org. hi bernate. loader. hql . QueryLoader. l i st(QueryLoader. j ava: 378)
        at
org. hi bernate. hql . ast. QueryTransl atorImpl . l i st(QueryTransl atorImpl . j ava: 338)
        at
org. hi bernate. engi ne. query. HQLQueryPI an. performLi st(HQLQueryPI an. j ava: 172)
        at org. hi bernate. impl . Sessi onImpl . l i st(Sessi onImpl . j ava: 1121)
        at org. hi bernate. impl . QueryImpl . l i st(QueryImpl . j ava: 79)
        at
org. openvpms. component. busi ness. dao. hi bernate. im. l MObj ectDAOHi bernate$. dol nHi be
rnate(l MObj ectDAOHi bernate. j ava: 619)
        at
org. spri ngframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 358)
        ... 44 more
Caused by: j ava. lang. Cl assNotFoundExcepti on: com. mysql . j dbc. Dri ver
        at
org. apache. catal i na. loader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. j ava: 13
86)
        at
org. apache. catal i na. loader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. j ava: 12
32)
        at j ava. lang. Cl assLoader. l oadCl assInternal (Unknown Source)
        at j ava. lang. Cl ass. forName0(Nati ve Method)
        at j ava. lang. Cl ass. forName(Unknown Source)
        at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. j ava: 76
0)
        ... 62 more
17 Jul 2009 08:19:05,786 ERROR [/openvpms], http-8080-Processor23: 3768 -
Exception sending context initialized event to listener instance of class
org. acegi securi ty. ui . sessi on. HttpSessi onEventPubli sher
org. spri ngframework. beans. factory. BeanCreati onExcepti on: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instanti ation of bean failed; nested
excepti on is org. spri ngframework. beans. FatalBeanExcepti on: Could not instanti ate
class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
criptorCacheDB]; constructor threw excepti on; nested excepti on is
org. openvpms. component. busi ness. dao. im. common. l MObj ectDAOExcepti on: Failed to
find l MObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. im. archetype. Asserti onTypeDescri pt
orDO with shortName: descri ptor. asserti onType and instanceName: null .
org. spri ngframework. beans. FatalBeanExcepti on: Could not instanti ate class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
criptorCacheDB]; constructor threw excepti on; nested excepti on is
org. openvpms. component. busi ness. dao. im. common. l MObj ectDAOExcepti on: Failed to
find l MObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. im. archetype. Asserti onTypeDescri pt
orDO with shortName: descri ptor. asserti onType and instanceName: null .
org. openvpms. component. busi ness. dao. im. common. l MObj ectDAOExcepti on: Failed to
find l MObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. im. archetype. Asserti onTypeDescri pt
orDO with shortName: descri ptor. asserti onType and instanceName: null .
        at
org. openvpms. component. busi ness. dao. hi bernate. im. l MObj ectDAOHi bernate. get(l MObj e
ctDAOHi bernate. j ava: 455)
        at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. l oadAsserti onTypeDescri ptors(ArchetypeDescri ptorCacheDB. j ava: 84)
        at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. <i ni t>(ArchetypeDescri ptorCacheDB. j ava: 74)
        at sun. refl ect. Nati veConstructorAccessorImpl . newl nstance0(Nati ve Method)
        at sun. refl ect. Nati veConstructorAccessorImpl . newl nstance(Unknown Source)
        at sun. refl ect. Del egati ngConstructorAccessorImpl . newl nstance(Unknown
Source)
        at j ava. lang. refl ect. Constructor. newl nstance(Unknown Source)
        at

```

```
org.springframework.beans.BeanUtils.getInstanceClass(BeanUtils.java: 100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.getInstanceClass(SimpleInstantiationStrategy.java: 75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java: 669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java: 329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java: 275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java: 3764)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java: 1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java: 549)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java: 105)
    at
    javax.servlet.http.HttpServlet.service(HttpServlet.java: 627)
    at
    javax.servlet.http.HttpServlet.service(HttpServlet.java: 729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java: 269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java: 188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java: 213)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java: 172)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java: 525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java: 127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java: 117)
```

```

    at
org.apache.catalina.core.StandardEngineVal ve. i nvoke(StandardEngi neVal ve. j ava: 108
)
    at
org.apache.catalina.connector.CoyoteAdapter. servi ce(CoyoteAdapter. j ava: 174)
    at
org.apache.coyote.http11.Http11Processor. process(Http11Processor. j ava: 875)
    at
org.apache.coyote.http11.Http11BaseProtocol $Http11Connecti onHandl er. processConne
cti on(Http11BaseProtocol . j ava: 665)
    at
org.apache.tomcat.uti l . net. Pool TcpEndpoi nt. processSocket(Pool TcpEndpoi nt. j ava: 52
8)
    at
org.apache.tomcat.uti l . net. LeaderFol lowerWorkerThread. runI t(LeaderFol lowerWorker
Thread. j ava: 81)
    at
org.apache.tomcat.uti l . threads. ThreadPool $Control Runnabl e. run(ThreadPool . j ava: 68
9)
    at java. lang. Thread. run(Unknown Source)
Caused by: org. springframework. jdbc. Uncategori zedSQLExcepti on: Hi bernate
operation: Cannot open connection; uncategori zed SQLExcepti on for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com. mysql . jdbc. Driver'; nested excepti on is
org. apache. commons. dbcp. SQLNestedExcepti on: Cannot load JDBC driver class
'com. mysql . jdbc. Dri ver'
    at
org. springframework. jdbc. support. SQLStateSQLExcepti onTransl ator. transl ate(SQLSta
teSQLExcepti onTransl ator. j ava: 96)
    at
org. springframework. jdbc. support. SQLErrorCodeSQLExcepti onTransl ator. transl ate(SQ
LErrorCodeSQLExcepti onTransl ator. j ava: 257)
    at
org. springframework. orm. hi bernate3. Hi bernateAccessor. convertJdbcAccessExcepti on(
Hi bernateAccessor. j ava: 424)
    at
org. springframework. orm. hi bernate3. Hi bernateAccessor. convertHi bernateAccessExcep
ti on(Hi bernateAccessor. j ava: 411)
    at
org. springframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 363)
    at
org. springframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 331)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I Mobj ectDAOHi bernate. execute(I M
obj ectDAOHi bernate. j ava: 1093)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I Mobj ectDAOHi bernate. executeQue
ry(I Mobj ectDAOHi bernate. j ava: 587)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I Mobj ectDAOHi bernate. get(I Mobj e
ctDAOHi bernate. j ava: 451)
    ... 40 more
Caused by: org. apache. commons. dbcp. SQLNestedExcepti on: Cannot load JDBC dri ver
class 'com. mysql . jdbc. Dri ver'
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. j ava: 76
6)
    at
org. apache. commons. dbcp. Basi cDataSource. getConnecti on(Basi cDataSource. j ava: 540)
    at
org. springframework. orm. hi bernate3. Local DataSourceConnecti onProvi der. getConnecti
on(Local DataSourceConnecti onProvi der. j ava: 80)
    at
org. hi bernate. jdbc. Connecti onManager. openConnecti on(Connecti onManager. j ava: 423)
    at
org. hi bernate. jdbc. Connecti onManager. getConnecti on(Connecti onManager. j ava: 144)

```

```

    at
org.hi.bernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:139)
    at org.hi.bernate.loader.Loader.prepareStatement(Loader.java:1547)
    at org.hi.bernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hi.bernate.loader.Loader.doQueryAndInitializeNonLazyColumns(Loader.java:236)
    at org.hi.bernate.loader.Loader.doList(Loader.java:2213)
    at org.hi.bernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hi.bernate.loader.Loader.list(Loader.java:2096)
    at org.hi.bernate.loader.hql.QueryLoader.list(QueryLoader.java:378)
    at
org.hi.bernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at
org.hi.bernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
    at org.hi.bernate.impl.SessionImpl.list(SessionImpl.java:1121)
    at org.hi.bernate.impl.QueryImpl.list(QueryImpl.java:79)
    at
org.openvpms.component.business.dao.hi.bernate.im.IMObjectDAOHiBernate$5.doInHiBernate(IMObjectDAOHiBernate.java:619)
    at
org.springframework.orm.hi.bernate3.HiBernateTemplate.execute(HiBernateTemplate.java:358)
    ... 44 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:132)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
    ... 62 more
17 Jul 2009 08:19:21,207 WARN JDBCExceptionReporter, http-8080-Processor23: 77 -
SQL Error: 0, SQLState: null
17 Jul 2009 08:19:21,207 ERROR JDBCExceptionReporter, http-8080-Processor23: 78 -
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 08:19:21,207 WARN SettingsFactory, http-8080-Processor23: 117 - Could
not obtain connection metadata
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hi.bernate3.LocalDataSourceConnectionProvider.getConnection(
LocalDataSourceConnectionProvider.java:80)
    at
org.hi.bernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java:84)
    at
org.hi.bernate.cfg.Configuration.buildSettings(Configuration.java:2073)
    at
org.hi.bernate.cfg.Configuration.buildSessionFactory(Configuration.java:1298)
    at
org.springframework.orm.hi.bernate3.LocalSessionFactoryBean.newSessionFactory(Local
SessionFactoryBean.java:777)
    at
org.springframework.orm.hi.bernate3.LocalSessionFactoryBean.afterPropertiesSet(Local
SessionFactoryBean.java:703)
    at

```

openvpms-ful l

```
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1058)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:363)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:269)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.ListenerStart(StandardContext.java:3764)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java:1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java:549)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:105)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:213)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:172)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:174)
```

```

    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java: 875)
    at
org.apache.coyote.http11.Http11BaseProtocol $Http11Connecti onHandl er. processConne
cti on(Http11BaseProtocol .java: 665)
    at
org.apache.tomcat.util.net.Pool TcpEndpoi nt. processSocket(Pool TcpEndpoi nt.java: 52
8)
    at
org.apache.tomcat.util.net.LeaderFol lowerWorkerThread.runI t(LeaderFol lowerWorker
Thread.java: 81)
    at
org.apache.tomcat.util.threads.ThreadPool $Control Runnabl e.run(ThreadPool .java: 68
9)
    at java.lang.Thread.run(Unknown Source)
Caused by: java.lang.ClassNotFou ndExcepti on: com.mysql.jdbc.Dri ver
    at
org.apache.catalina.loader.WebappCl assLoader.loadCl ass(WebappCl assLoader.java: 13
86)
    at
org.apache.catalina.loader.WebappCl assLoader.loadCl ass(WebappCl assLoader.java: 12
32)
    at java.lang.ClassLoader.loadCl assInternal (Unknown Source)
    at java.lang.Class.forName0(Nati ve Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
0)
    ... 39 more
17 Jul 2009 08:19:22,176 WARN SQLErrorCodesFactory,http-8080-Processor23:232 -
Error while extracting database product name - falling back to empty error codes
org.springframework.jdbc.support.MetaDataAccessExcepti on: Could not get
Connection for extracting meta data; nested excepti on is
org.springframework.jdbc.CannotGetJdbcConnecti onExcepti on: Could not get JDBC
Connection; nested excepti on is org.apache.commons.dbcp.SQLNestedExcepti on:
Cannot load JDBC driver class 'com.mysql.jdbc.Dri ver'
org.springframework.jdbc.CannotGetJdbcConnecti onExcepti on: Could not get JDBC
Connection; nested excepti on is org.apache.commons.dbcp.SQLNestedExcepti on:
Cannot load JDBC driver class 'com.mysql.jdbc.Dri ver'
org.apache.commons.dbcp.SQLNestedExcepti on: Cannot load JDBC driver class
'com.mysql.jdbc.Dri ver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java: 540)
    at
org.springframework.jdbc.datasource.DataSourceUtil s.doGetConnecti on(DataSourceUtil
s.java: 107)
    at
org.springframework.jdbc.datasource.DataSourceUtil s.getConnection(DataSourceUtil
s.java: 77)
    at
org.springframework.jdbc.support.JdbcUtil s.extractDatabaseMetaData(JdbcUtil s.j av
a: 164)
    at
org.springframework.jdbc.support.JdbcUtil s.extractDatabaseMetaData(JdbcUtil s.j av
a: 204)
    at
org.springframework.jdbc.support.SQLErrorCodesFactory.getErrorCodes(SQLErrorCode
sFactory.java: 185)
    at
org.springframework.jdbc.support.SQLErrorCodesSQLExcepti onTransl ator.setDataSource
e(SQLErrorCodesSQLExcepti onTransl ator.java: 126)
    at
org.springframework.jdbc.support.SQLErrorCodesSQLExcepti onTransl ator.<ini t>(SQLEr
rorCodesSQLExcepti onTransl ator.java: 92)
    at

```

```
org.springframework.orm.hibernate3.SessionFactoryUtils.newJdbcExceptionTranslator(SessionFactoryUtils.java: 133)
    at
org.springframework.orm.hibernate3.HibernateAccessor.getJdbcExceptionTranslator(HibernateAccessor.java: 235)
    at
org.springframework.orm.hibernate3.HibernateTemplate.getSession(HibernateTemplate.java: 405)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 347)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IMObjectDAOHibernate.java: 1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQuery(IMObjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java: 451)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java: 84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.<init>(ArchetypeDescriptorCacheDB.java: 74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java: 100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java: 75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java: 669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java: 329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java: 275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
```

```

LoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.Li stenerStart(StandardContext.java: 3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java: 1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java: 549
)
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java: 105
)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java: 627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java: 729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilter
Chain.java: 269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.
java: 188)
    at
org.apache.catalina.core.StandardWrapperVal ve.invoke(StandardWrapperVal ve.java: 2
13)
    at
org.apache.catalina.core.StandardContextVal ve.invoke(StandardContextVal ve.java: 1
72)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java: 525)
    at
org.apache.catalina.core.StandardHostVal ve.invoke(StandardHostVal ve.java: 127)
    at
org.apache.catalina.val ves.ErrorReportVal ve.invoke(ErrorReportVal ve.java: 117)
    at
org.apache.catalina.core.StandardEngi neVal ve.invoke(StandardEngi neVal ve.java: 108
)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java: 174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java: 875)
    at
org.apache.coyote.http11.Http11BaseProtocol $Http11Connecti onHandl er.processConne
cti on(Http11BaseProtocol .java: 665)
    at
org.apache.tomcat.util.net.Pool TcpEndpoi nt.processSocket(Pool TcpEndpoi nt.java: 52
8)
    at
org.apache.tomcat.util.net.LeaderFol lowerWorkerThread.runI t(LeaderFol lowerWorker
Thread.java: 81)
    at
org.apache.tomcat.util.threads.ThreadPool $Control Runnabl e.run(ThreadPool .java: 68
9)
    at java.lang.Thread.run(Unknown Source)
Caused by: java.lang.Cl assNotFoundExcepti on: com.mysql .jdbc. Dri ver
    at
org.apache.catalina.l oader.WebappCl assLoader.l oadCl ass(WebappCl assLoader.java: 13
86)
    at
org.apache.catalina.l oader.WebappCl assLoader.l oadCl ass(WebappCl assLoader.java: 12
32)
    at java.lang.Cl assLoader.l oadCl assInternal (Unknown Source)
    at java.lang.Cl ass.forName0(Nati ve Method)
    at java.lang.Cl ass.forName(Unknown Source)
    at
org.apache.commons.dbcp.Basi cDataSource.createDataSource(Basi cDataSource.java: 76
0)

```

openvpms-ful l

... 56 more  
17 Jul 2009 08:19:22,207 WARN JDBCExceptionReporter, http-8080-Processor23:77 - SQL Error: 0, SQLState: null  
17 Jul 2009 08:19:22,207 ERROR JDBCExceptionReporter, http-8080-Processor23:78 - Cannot load JDBC driver class 'com.mysql.jdbc.Driver'  
17 Jul 2009 08:19:22,207 WARN JDBCExceptionReporter, http-8080-Processor23:77 - SQL Error: 0, SQLState: null  
17 Jul 2009 08:19:22,207 ERROR JDBCExceptionReporter, http-8080-Processor23:78 - Cannot load JDBC driver class 'com.mysql.jdbc.Driver'  
17 Jul 2009 08:19:22,223 ERROR ContextLoader, http-8080-Processor23:177 - Context initialization failed  
org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'archetypeDescriptorCache' defined in ServletContext resource [/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested exception is org.springframework.beans.FatalBeanException: Could not instantiate class [org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB]; constructor threw exception; nested exception is org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to find IMObjects for class org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO with shortName: descriptor.assertionType and instanceName: null.  
org.springframework.beans.FatalBeanException: Could not instantiate class [org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB]; constructor threw exception; nested exception is org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to find IMObjects for class org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO with shortName: descriptor.assertionType and instanceName: null.  
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to find IMObjects for class org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO with shortName: descriptor.assertionType and instanceName: null.  
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to find IMObjects for class org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO with shortName: descriptor.assertionType and instanceName: null.  
at org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:455)  
at org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)  
at org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)  
at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)  
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)  
at java.lang.reflect.Constructor.newInstance(Unknown Source)  
at org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)  
at org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java:75)  
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java:669)  
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:329)  
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:226)  
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:147)  
at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:275)  
at

```
org.springframework.context.support.AbstractApplicationContext.refresh(ApplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java: 3764)
    )
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java: 1173)
    at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java: 549)
    )
    at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java: 105)
    )
    at javax.servlet.http.HttpServlet.service(HttpServlet.java: 627)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java: 729)
    at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java: 269)
    at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java: 188)
    at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java: 213)
    at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java: 172)
    at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java: 525)
    at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java: 127)
    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java: 117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java: 108)
    )
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java: 174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java: 875)
    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConnection(Http11BaseProtocol.java: 665)
    at
org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java: 528)
    )
    at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.run(LeaderFollowerWorkerThread.java: 81)
    at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java: 689)
    at java.lang.Thread.run(Unknown Source)
```

openvpms-ful l

Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL state [null]; error code [0]; Cannot load JDBC driver class 'com.mysql.jdbc.Driver'; nested exception is org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class 'com.mysql.jdbc.Driver'  
at  
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)  
at  
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:257)  
at  
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(HibernateAccessor.java:424)  
at  
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessException(HibernateAccessor.java:411)  
at  
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:363)  
at  
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:331)  
at  
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IMObjectDAOHibernate.java:1093)  
at  
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQuery(IMObjectDAOHibernate.java:587)  
at  
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:451)  
... 40 more  
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class 'com.mysql.jdbc.Driver'  
at  
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)  
at  
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)  
at  
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java:80)  
at  
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)  
at  
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)  
at  
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:139)  
at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)  
at org.hibernate.loader.Loader.doQuery(Loader.java:673)  
at  
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java:236)  
at org.hibernate.loader.Loader.doList(Loader.java:2213)  
at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)  
at org.hibernate.loader.Loader.list(Loader.java:2096)  
at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java:378)  
at  
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)  
at  
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)  
at org.hibernate.impl.SessionImpl.list(SessionImpl.java:1121)  
at org.hibernate.impl.QueryImpl.list(QueryImpl.java:79)  
at  
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.doInHibernate

```

openvpms-ful l
rnate(IMObjectDAOHi bernate.java: 619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java: 358)
    ... 44 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 760)
    ... 62 more
17 Jul 2009 08:19:22,223 ERROR [/openvpms], http-8080-Processor23: 3768 -
Exception sending context initialized event to listener instance of class
org.springframework.web.context.ContextLoaderListener
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHiBernate.get(IMObj
ctDAOHiBernate.java: 455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB.loadAssertionTypeDescriptors(ArchetypDescriptorCacheDB.java: 84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB.<init>(ArchetypDescriptorCacheDB.java: 74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java: 100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java: 75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java: 669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre

```

```

    at
    org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:226)
    at
    org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:147)
    at
    org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:275)
    at
    org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:318)
    at
    org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
    org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java:230)
    at
    org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:156)
    at
    org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:48)
    at
    org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3764)
    at
    org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
    org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java:1173)
    at
    org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java:549)
    at
    org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:105)
    at
    org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:627)
    at
    org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:729)
    at
    org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:269)
    at
    org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:188)
    at
    org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:213)
    at
    org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:172)
    at
    org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:525)
    at
    org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
    at
    org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117)
    at
    org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108)
    at
    org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:174)
    at
    org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:875)
    at
    org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConnection

```

```

cti on(Http11BaseProtocol . java: 665)
    at
org. apache. tomcat. util . net. Pool TcpEndpoi nt. processSocket(Pool TcpEndpoi nt. java: 52
8)
    at
org. apache. tomcat. util . net. LeaderFol lowerWorkerThread. runI t(LeaderFol lowerWorker
Thread. java: 81)
    at
org. apache. tomcat. util . threads. ThreadPool $Control Runnabl e. run(ThreadPool . java: 68
9)
    at java. lang. Thread. run(Unknown Source)
Caused by: org. springframework. jdbc. Uncategori zedSQLExcepti on: Hi bernate
operation: Cannot open connection; uncategori zed SQLExcepti on for SQL [???]; SQL
state [null ]; error code [0]; Cannot load JDBC driver class
'com. mysql . jdbc. Driver' ; nested excepti on is
org. apache. commons. dbcp. SQLNestedExcepti on: Cannot load JDBC driver class
'com. mysql . jdbc. Driver'
    at
org. springframework. jdbc. support. SQLStateSQLExcepti onTransl ator. transl ate(SQLSta
teSQLExcepti onTransl ator. java: 96)
    at
org. springframework. jdbc. support. SQLErrorCodeSQLExcepti onTransl ator. transl ate(SQ
LErrorCodeSQLExcepti onTransl ator. java: 257)
    at
org. springframework. orm. hi bernate3. Hi bernateAccessor. convertJdbcAccessExcepti on(
Hi bernateAccessor. java: 424)
    at
org. springframework. orm. hi bernate3. Hi bernateAccessor. convertHi bernateAccessExcep
ti on(Hi bernateAccessor. java: 411)
    at
org. springframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 363)
    at
org. springframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 331)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I MObj ectDAOHi bernate. execute(I M
Obj ectDAOHi bernate. java: 1093)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I MObj ectDAOHi bernate. executeQue
ry(I MObj ectDAOHi bernate. java: 587)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I MObj ectDAOHi bernate. get(I MObj e
ctDAOHi bernate. java: 451)
    ... 40 more
Caused by: org. apache. commons. dbcp. SQLNestedExcepti on: Cannot load JDBC dri ver
class 'com. mysql . jdbc. Driver'
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. java: 76
6)
    at
org. apache. commons. dbcp. Basi cDataSource. getConnecti on(Basi cDataSource. java: 540)
    at
org. springframework. orm. hi bernate3. Local DataSourceConnecti onProvi der. getConnecti
on(Local DataSourceConnecti onProvi der. java: 80)
    at
org. hi bernate. jdbc. Connecti onManager. openConnecti on(Connecti onManager. java: 423)
    at
org. hi bernate. jdbc. Connecti onManager. getConnecti on(Connecti onManager. java: 144)
    at
org. hi bernate. jdbc. AbstractBatcher. prepareQueryStatement(AbstractBatcher. java: 13
9)
    at org. hi bernate. loader. Loader. prepareQueryStatement(Loader. java: 1547)
    at org. hi bernate. loader. Loader. doQuery(Loader. java: 673)
    at
org. hi bernate. loader. Loader. doQueryAndI ni ti al i zeNonLazyCol l ecti ons(Loader. java: 2
36)
    at org. hi bernate. loader. Loader. doLi st(Loader. java: 2213)

```

```

                                openvpms-ful l
    at org. hi bernate. loader. Loader. Li stUsi ngQueryCache(Loader. j ava: 2136)
    at org. hi bernate. loader. Loader. Li st(Loader. j ava: 2096)
    at org. hi bernate. loader. hql . QueryLoader. Li st(QueryLoader. j ava: 378)
    at
org. hi bernate. hql . ast. QueryTransl atorImpl . Li st(QueryTransl atorImpl . j ava: 338)
    at
org. hi bernate. engi ne. query. HQLQueryPI an. performLi st(HQLQueryPI an. j ava: 172)
    at org. hi bernate. impl . Sessi onImpl . Li st(Sessi onImpl . j ava: 1121)
    at org. hi bernate. impl . QueryImpl . Li st(QueryImpl . j ava: 79)
    at
org. openvpms. component. busi ness. dao. hi bernate. im. IMObj ectDAOHi bernate$5. doI nHi be
rnate(IMObj ectDAOHi bernate. j ava: 619)
    at
org. springframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 358)
    ... 44 more
Caused by: java. lang. Cl assNotFoundExcepti on: com. mysql . j dbc. Dri ver
    at
org. apache. catal i na. loader. WebappCl assLoader. LoadCl ass(WebappCl assLoader. j ava: 13
86)
    at
org. apache. catal i na. loader. WebappCl assLoader. LoadCl ass(WebappCl assLoader. j ava: 12
32)
    at java. lang. Cl assLoader. LoadCl assInternal (Unknown Source)
    at java. lang. Cl ass. forName0(Nati ve Method)
    at java. lang. Cl ass. forName(Unknown Source)
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. j ava: 76
0)
    ... 62 more
17 Jul 2009 08:19:22,223 ERROR [/openvpms], http-8080-Processor23: 3768 -
Exception sending context initialized event to listener instance of class
org. acegi securi ty. ui . sessi on. HttpSessi onEventPubl i sher
org. springframework. beans. factory. BeanCreati onExcepti on: Error creating bean
wi th name 'archetypeDescriptorCache' defi ned in ServletContext resource
[/WEB-INF/applicati onContext.xml]: Instanti ati on of bean failed; nested
excepti on is org. springframework. beans. Fatal BeanExcepti on: Could not instanti ate
class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
criptorCacheDB]; constructor threw excepti on; nested excepti on is
org. openvpms. component. busi ness. dao. im. common. IMObj ectDAOExcepti on: Failed to
fi nd IMObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. im. archetype. Asserti onTypeDescri pt
orDO wi th shortName: descriptor. asserti onType and instanceName: null .
org. springframework. beans. Fatal BeanExcepti on: Could not instanti ate class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
criptorCacheDB]; constructor threw excepti on; nested excepti on is
org. openvpms. component. busi ness. dao. im. common. IMObj ectDAOExcepti on: Failed to
fi nd IMObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. im. archetype. Asserti onTypeDescri pt
orDO wi th shortName: descriptor. asserti onType and instanceName: null .
org. openvpms. component. busi ness. dao. im. common. IMObj ectDAOExcepti on: Failed to
fi nd IMObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. im. archetype. Asserti onTypeDescri pt
orDO wi th shortName: descriptor. asserti onType and instanceName: null .
    at
org. openvpms. component. busi ness. dao. hi bernate. im. IMObj ectDAOHi bernate. get(IMObj e
ctDAOHi bernate. j ava: 455)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. loadAsserti onTypeDescri ptors(ArchetypeDescri ptorCacheDB. j ava: 84)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. <ini t>(ArchetypeDescri ptorCacheDB. j ava: 74)
    at sun. refl ect. Nati veConstructorAccessorImpl . newI nstance0(Nati ve Method)
    at sun. refl ect. Nati veConstructorAccessorImpl . newI nstance(Unknown Source)
    at sun. refl ect. Del egati ngConstructorAccessorImpl . newI nstance(Unknown
Source)

```

```
at java.lang.reflect.Constructor.newInstance(Unknown Source)
at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autom
oreConstructor(AbstractAutowireCapableBeanFactory.java:669)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Contex
tLoader.java:230)
at
org.springframework.web.context.ContextLoader.instantiateWebApplicationContext(Contex
tLoader.java:156)
at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java:3764
)
at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
at
org.apache.catalina.manager.ManagerServlet.start(ManagerServlet.java:1173)
at
org.apache.catalina.manager.HTMLManagerServlet.start(HTMLManagerServlet.java:549
)
at
org.apache.catalina.manager.HTMLManagerServlet.doGet(HTMLManagerServlet.java:105
)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:627)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:729)
at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilt
erChain.java:269)
at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.
java:188)
at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:2
13)
at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:1
72)
at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.jav
a:525)
at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
```

```

    at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:117)
    at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:108)
)
    at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:174)
    at
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:875)
    at
org.apache.coyote.http11.Http11BaseProtocol$Http11ConnectionHandler.processConnection(Http11BaseProtocol.java:665)
    at
org.apache.tomcat.util.net.PoolTcpEndpoint.processSocket(PoolTcpEndpoint.java:528)
    at
org.apache.tomcat.util.net.LeaderFollowerWorkerThread.run(LeaderFollowerWorkerThread.java:81)
    at
org.apache.tomcat.util.threads.ThreadPool$ControlRunnable.run(ThreadPool.java:689)
    at java.lang.Thread.run(Unknown Source)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(HibernateAccessor.java:424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessException(HibernateAccessor.java:411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:331)
    at
org.openvpms.component.business.dao.hibernate.ImplObjectDAOHibernate.execute(ImplObjectDAOHibernate.java:1093)
    at
org.openvpms.component.business.dao.hibernate.ImplObjectDAOHibernate.executeQuery(ImplObjectDAOHibernate.java:587)
    at
org.openvpms.component.business.dao.hibernate.ImplObjectDAOHibernate.get(ImplObjectDAOHibernate.java:451)
    ... 40 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java:80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)

```

```

    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:139)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java:236)
    at org.hibernate.loader.Loader.doList(Loader.java:2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hibernate.loader.Loader.list(Loader.java:2096)
    at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java:378)
    at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java:1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java:79)
    at
org.openvpms.component.business.dao.hibernate.ImplMOjectDAOHibernate5.doInHibernate(ImplMOjectDAOHibernate.java:619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:358)
    ... 44 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
    ... 62 more
17 Jul 2009 11:02:12,953 WARN JDBCExceptionReporter, Thread-1: 77 - SQL Error: 0,
SQLState: null
17 Jul 2009 11:02:12,968 ERROR JDBCExceptionReporter, Thread-1: 78 - Cannot load
JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 11:02:12,984 WARN SettingsFactory, Thread-1: 117 - Could not obtain
connection metadata
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(
LocalDataSourceConnectionProvider.java:80)
    at
org.hibernate.cfg.SettingsFactory.buildSettings(SettingsFactory.java:84)
    at
org.hibernate.cfg.Configuration.buildSettings(Configuration.java:2073)
    at
org.hibernate.cfg.Configuration.buildSessionFactory(Configuration.java:1298)
    at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.newSessionFactory(Local
SessionFactoryBean.java:777)
    at
org.springframework.orm.hibernate3.LocalSessionFactoryBean.afterPropertiesSet(Local

```

```

cal SessionFactoryBean.java: 703)
    at
org.springframework.beans.factory.support.AbstractAutowiredCapableBeanFactory.invokeInitMethods(AbstractAutowiredCapableBeanFactory.java: 1058)
    at
org.springframework.beans.factory.support.AbstractAutowiredCapableBeanFactory.createBean(AbstractAutowiredCapableBeanFactory.java: 363)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java: 147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java: 269)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java: 3764)
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java: 760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java: 740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java: 544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java: 831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java: 720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java: 490)
    at org.apache.catalina.startup.HostConfig.start(HostConfig.java: 1150)
    at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java: 311)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java: 120)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java: 1022)
    at org.apache.catalina.core.StandardHost.start(StandardHost.java: 736)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java: 1014)
    at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java: 443)
    at
org.apache.catalina.core.StandardService.start(StandardService.java: 448)
    at
org.apache.catalina.core.StandardServer.start(StandardServer.java: 700)
    at org.apache.catalina.startup.Catalina.start(Catalina.java: 552)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java: 295)
    at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java: 433)

```

openvpms-ful l

```
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 13
86)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 12
32)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
0)
    ... 41 more
17 Jul 2009 11:02:14,922 WARN SQLErrorCodesFactory,Thread-1:232 - Error while
extracting database product name - falling back to empty error codes
org.springframework.jdbc.support.MetaDataAccessException: Could not get
Connection for extracting meta data; nested exception is
org.springframework.jdbcCannotGetJdbcConnectionException: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp.SQLNestedException:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.springframework.jdbcCannotGetJdbcConnectionException: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp.SQLNestedException:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java: 540)
    at
org.springframework.jdbc.datasource.DataSourceUtils.doGetConnection(DataSourceUt
ils.java: 107)
    at
org.springframework.jdbc.datasource.DataSourceUtils.getConnection(DataSourceUt
ils.java: 77)
    at
org.springframework.jdbc.support.JdbcUtils.extractDatabaseMetaData(JdbcUtils.j av
a: 164)
    at
org.springframework.jdbc.support.JdbcUtils.extractDatabaseMetaData(JdbcUtils.j av
a: 204)
    at
org.springframework.jdbc.support.SQLErrorCodesFactory.getErrorCodes(SQLErrorCode
sFactory.java: 185)
    at
org.springframework.jdbc.support.SQLErrorCodeSQLExceptionTranslator.setDataSource
e(SQLErrorCodeSQLExceptionTranslator.java: 126)
    at
org.springframework.jdbc.support.SQLErrorCodeSQLExceptionTranslator.<init>(SQLEr
rorCodeSQLExceptionTranslator.java: 92)
    at
org.springframework.orm.hibernate3.SessionFactoryUtils.newJdbcExceptionTranslator
(SessionFactoryUtils.java: 133)
    at
org.springframework.orm.hibernate3.HibernateAccessor.getJdbcExceptionTranslator(
HibernateAccessor.java: 235)
    at
org.springframework.orm.hibernate3.HibernateTemplate.getSession(HibernateTempl at
e.java: 405)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava: 347)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTempl at
e.java: 331)
    at
```

openvpms-ful l

```
org.openvpms.component.business.dao.hibernate.impl.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java: 1093)
    at
org.openvpms.component.business.dao.hibernate.impl.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate.impl.IMObjectDAOHibernate.get(IMObj
ectDAOHibernate.java: 451)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java: 84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.<init>(ArchetypeDescriptorCacheDB.java: 74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java: 100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java: 75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java: 669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java: 329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java: 226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java: 147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java: 275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Contex
tLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.instantiateWebApplicationContext(Contex
tLoader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java: 3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java: 760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java: 740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java: 544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java: 831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java: 720)
    at
```

openvpms-ful l

```
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java: 490)
    at org.apache.catalina.startup.HostConfig.start(HostConfig.java: 1150)
    at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java: 311)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java: 120)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java: 1022)
    at org.apache.catalina.core.StandardHost.start(StandardHost.java: 736)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java: 1014)
    at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java: 443)
    at
org.apache.catalina.core.StandardService.start(StandardService.java: 448)
    at
org.apache.catalina.core.StandardServer.start(StandardServer.java: 700)
    at org.apache.catalina.startup.Catalina.start(Catalina.java: 552)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java: 295)
    at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java: 433)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 760)
    ... 58 more
17 Jul 2009 11:02:15,093 WARN JDBCExceptionReporter, Thread-1: 77 - SQL Error: 0,
SQLState: null
17 Jul 2009 11:02:15,093 ERROR JDBCExceptionReporter, Thread-1: 78 - Cannot load
JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 11:02:15,093 WARN JDBCExceptionReporter, Thread-1: 77 - SQL Error: 0,
SQLState: null
17 Jul 2009 11:02:15,093 ERROR JDBCExceptionReporter, Thread-1: 78 - Cannot load
JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 11:02:15,125 ERROR ContextLoader, Thread-1: 177 - Context
initialization failed
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
```

```

orDO with shortName: descriptor, assertionType and instanceName: null.
    at
org. openvpms. component. business. dao. hi bernate. i m. I MObj ectDAOHi bernate. get(I MObj e
ctDAOHi bernate. j ava: 455)
    at
org. openvpms. component. business. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. loadAsserti onTypeDescri ptors(ArchetypeDescri ptorCacheDB. j ava: 84)
    at
org. openvpms. component. business. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. <i ni t>(ArchetypeDescri ptorCacheDB. j ava: 74)
    at sun. refl ect. Nati veConstructorAccessorImpl . newI nstance0(Nati ve Method)
    at sun. refl ect. Nati veConstructorAccessorImpl . newI nstance(Unknown Source)
    at sun. refl ect. Del egati ngConstructorAccessorImpl . newI nstance(Unknown
Source)
    at j ava. l ang. refl ect. Constructor. newI nstance(Unknown Source)
    at
org. springframework. beans. BeanUti l s. i nstanti ateCl ass(BeauUti l s. j ava: 100)
    at
org. springframework. beans. factory. support. Si mpl eI nstanti ati onStrategy. i nstanti at
e(Si mpl eI nstanti ati onStrategy. j ava: 75)
    at
org. springframework. beans. factory. support. AbstractAutowi reCapabl eBeanFactory. aut
owi reConstructor(AbstractAutowi reCapabl eBeanFactory. j ava: 669)
    at
org. springframework. beans. factory. support. AbstractAutowi reCapabl eBeanFactory. cre
ateBean(AbstractAutowi reCapabl eBeanFactory. j ava: 329)
    at
org. springframework. beans. factory. support. AbstractBeanFactory. getBean(AbstractBe
anFactory. j ava: 226)
    at
org. springframework. beans. factory. support. AbstractBeanFactory. getBean(AbstractBe
anFactory. j ava: 147)
    at
org. springframework. beans. factory. support. Defaul tLi stabl eBeanFactory. prel nstanti
ateSi ngl etons(Defaul tLi stabl eBeanFactory. j ava: 275)
    at
org. springframework. context. support. AbstractAppl i cati onContext. refresh(AbstractA
ppl i cati onContext. j ava: 318)
    at
org. springframework. web. context. support. AbstractRefreshabl eWebAppl i cati onContext
. refresh(AbstractRefreshabl eWebAppl i cati onContext. j ava: 134)
    at
org. springframework. web. context. ContextLoader. createWebAppl i cati onContext(Context
tLoader. j ava: 230)
    at
org. springframework. web. context. ContextLoader. i ni tWebAppl i cati onContext(ContextL
oader. j ava: 156)
    at
org. springframework. web. context. ContextLoaderLi stener. contextI ni ti al i zed(Context
LoaderLi stener. j ava: 48)
    at
org. apache. catal i na. core. StandardContext. I i stenerStart(StandardContext. j ava: 3764
)
    at
org. apache. catal i na. core. StandardContext. start(StandardContext. j ava: 4216)
    at
org. apache. catal i na. core. Contai nerBase. addChi l dI nternal (Contai nerBase. j ava: 760)
    at
org. apache. catal i na. core. Contai nerBase. addChi l d(Contai nerBase. j ava: 740)
    at org. apache. catal i na. core. StandardHost. addChi l d(StandardHost. j ava: 544)
    at org. apache. catal i na. startup. HostConfi g. depl oyWAR(HostConfi g. j ava: 831)
    at
org. apache. catal i na. startup. HostConfi g. depl oyWARs(HostConfi g. j ava: 720)
    at
org. apache. catal i na. startup. HostConfi g. depl oyApps(HostConfi g. j ava: 490)
    at org. apache. catal i na. startup. HostConfi g. start(HostConfi g. j ava: 1150)
    at
org. apache. catal i na. startup. HostConfi g. I i fecycl eEvent(HostConfi g. j ava: 311)

```

openvpms-ful l

```
at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:120)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1022)
at org.apache.catalina.core.StandardHost.start(StandardHost.java:736)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1014)
at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
at
org.apache.catalina.core.StandardService.start(StandardService.java:448)
at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
at sun.reflect.NativeMethodAccessorImpl.invoke0(NativeMethod)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:257)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(HibernateAccessor.java:424)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessException(HibernateAccessor.java:411)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:363)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:331)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IMObjectDAOHibernate.java:1093)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQuery(IMObjectDAOHibernate.java:587)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:451)
... 42 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java:80)
at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
at
```

openvpms-ful l

```
org. hi bernate. jdbc. AbstractBatcher. prepareQueryStatement(AbstractBatcher. java: 13
9)
    at org. hi bernate. loader. Loader. prepareQueryStatement(Loader. java: 1547)
    at org. hi bernate. loader. Loader. doQuery(Loader. java: 673)
    at
org. hi bernate. loader. Loader. doQueryAndI nti al i zeNonLazyCol l ecti ons(Loader. java: 2
36)
    at org. hi bernate. loader. Loader. doLi st(Loader. java: 2213)
    at org. hi bernate. loader. Loader. l i stUsi ngQueryCache(Loader. java: 2136)
    at org. hi bernate. loader. Loader. l i st(Loader. java: 2096)
    at org. hi bernate. loader. hql . QueryLoader. l i st(QueryLoader. java: 378)
    at
org. hi bernate. hql . ast. QueryTransl atorImpl . l i st(QueryTransl atorImpl . java: 338)
    at
org. hi bernate. engi ne. query. HQLQueryPI an. performLi st(HQLQueryPI an. java: 172)
    at org. hi bernate. impl . Sessi onImpl . l i st(Sessi onImpl . java: 1121)
    at org. hi bernate. impl . QueryImpl . l i st(QueryImpl . java: 79)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I Mobj ectDAOHi bernate$5. doI nHi be
rnate(I Mobj ectDAOHi bernate. java: 619)
    at
org. springframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 358)
    ... 46 more
Caused by: java. lang. Cl assNotFoundExcepti on: com. mysql . jdbc. Dri ver
    at
org. apache. catal i na. loader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. java: 13
86)
    at
org. apache. catal i na. loader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. java: 12
32)
    at java. lang. Cl assLoader. l oadCl assInternal (Unknown Source)
    at java. lang. Cl ass. forName0(Nati ve Method)
    at java. lang. Cl ass. forName(Unknown Source)
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. java: 76
0)
    ... 64 more
17 Jul 2009 11:02:15,125 ERROR [/openvpms], Thread-1: 3768 - Excepti on sending
context initialized event to l i stener instance of class
org. springframework. web. context. ContextLoaderL i stener
org. springframework. beans. factory. BeanCreati onExcepti on: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicati onContext.xml ]: Instanti ati on of bean failed; nested
excepti on i s org. springframework. beans. FatalBeanExcepti on: Could not instanti ate
class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
criptorCacheDB]; constructor threw excepti on; nested excepti on i s
org. openvpms. component. busi ness. dao. i m. common. I Mobj ectDAOExcepti on: Failed to
find I Mobj ects for class
org. openvpms. component. busi ness. dao. hi bernate. i m. archetype. Asserti onTypeDescri pt
orDO with shortName: descriptor. asserti onType and instanceName: null .
org. springframework. beans. FatalBeanExcepti on: Could not instanti ate class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
criptorCacheDB]; constructor threw excepti on; nested excepti on i s
org. openvpms. component. busi ness. dao. i m. common. I Mobj ectDAOExcepti on: Failed to
find I Mobj ects for class
org. openvpms. component. busi ness. dao. hi bernate. i m. archetype. Asserti onTypeDescri pt
orDO with shortName: descriptor. asserti onType and instanceName: null .
org. openvpms. component. busi ness. dao. i m. common. I Mobj ectDAOExcepti on: Failed to
find I Mobj ects for class
org. openvpms. component. busi ness. dao. hi bernate. i m. archetype. Asserti onTypeDescri pt
orDO with shortName: descriptor. asserti onType and instanceName: null .
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. I Mobj ectDAOHi bernate. get(I Mobj e
ctDAOHi bernate. java: 455)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
```

```

ri ptorCacheDB. loadAsserti onTypeDescri ptors(ArchetypeDescri ptorCacheDB. j ava: 84)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. <ini t>(ArchetypeDescri ptorCacheDB. j ava: 74)
    at sun. refl ect. Nati veConstructorAccessorImpl . newI nstance0(Nati ve Method)
    at sun. refl ect. Nati veConstructorAccessorImpl . newI nstance(Unknown Source)
    at sun. refl ect. Del egati ngConstructorAccessorImpl . newI nstance(Unknown
Source)
    at java. lang. refl ect. Constructor. newI nstance(Unknown Source)
    at
org. springframework. beans. BeanUti l s. i nstanti ateCl ass(BeanUti l s. j ava: 100)
    at
org. springframework. beans. factory. support. Si mpl eI nstanti ati onStrategy. i nstanti ate
e(Si mpl eI nstanti ati onStrategy. j ava: 75)
    at
org. springframework. beans. factory. support. AbstractAutowi reCapabl eBeanFactory. aut
owi reConstructor(AbstractAutowi reCapabl eBeanFactory. j ava: 669)
    at
org. springframework. beans. factory. support. AbstractAutowi reCapabl eBeanFactory. cre
ateBean(AbstractAutowi reCapabl eBeanFactory. j ava: 329)
    at
org. springframework. beans. factory. support. AbstractBeanFactory. getBean(AbstractBe
anFactory. j ava: 226)
    at
org. springframework. beans. factory. support. AbstractBeanFactory. getBean(AbstractBe
anFactory. j ava: 147)
    at
org. springframework. beans. factory. support. Defaul tLi stabl eBeanFactory. prel nstanti
ateSi ngl etons(Defaul tLi stabl eBeanFactory. j ava: 275)
    at
org. springframework. context. support. AbstractAppl i cati onContext. refresh(AbstractA
ppl i cati onContext. j ava: 318)
    at
org. springframework. web. context. support. AbstractRefreshabl eWebAppl i cati onContext
. refresh(AbstractRefreshabl eWebAppl i cati onContext. j ava: 134)
    at
org. springframework. web. context. ContextLoader. createWebAppl i cati onContext (Contex
tLoader. j ava: 230)
    at
org. springframework. web. context. ContextLoader. i ni tWebAppl i cati onContext (ContextL
oader. j ava: 156)
    at
org. springframework. web. context. ContextLoaderLi stener. contextI ni ti al i zed(Context
LoaderLi stener. j ava: 48)
    at
org. apache. catal i na. core. StandardContext. I i stenerStart(StandardContext. j ava: 3764
)
    at
org. apache. catal i na. core. StandardContext. start(StandardContext. j ava: 4216)
    at
org. apache. catal i na. core. Contai nerBase. addChi l dI nternal (Contai nerBase. j ava: 760)
    at
org. apache. catal i na. core. Contai nerBase. addChi l d(Contai nerBase. j ava: 740)
    at org. apache. catal i na. core. StandardHost. addChi l d(StandardHost. j ava: 544)
    at org. apache. catal i na. startup. HostConfi g. depl oyWAR(HostConfi g. j ava: 831)
    at
org. apache. catal i na. startup. HostConfi g. depl oyWARs(HostConfi g. j ava: 720)
    at
org. apache. catal i na. startup. HostConfi g. depl oyApps(HostConfi g. j ava: 490)
    at org. apache. catal i na. startup. HostConfi g. start(HostConfi g. j ava: 1150)
    at
org. apache. catal i na. startup. HostConfi g. I i fecycl eEvent(HostConfi g. j ava: 311)
    at
org. apache. catal i na. uti l . Li fecycl eSupport. fi reLi fecycl eEvent(Li fecycl eSupport. j a
va: 120)
    at org. apache. catal i na. core. Contai nerBase. start(Contai nerBase. j ava: 1022)
    at org. apache. catal i na. core. StandardHost. start(StandardHost. j ava: 736)
    at org. apache. catal i na. core. Contai nerBase. start(Contai nerBase. j ava: 1014)

```

```

    at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
    at
org.apache.catalina.core.StandardService.start(StandardService.java:448)
    at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
    at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
    at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
    at
org.springframework.jdbc.support.SQLExceptionCodeSQLExceptionTranslator.translate(SQL
ExceptionCodeSQLExceptionTranslator.java:257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(
HibernateAccessor.java:424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java:411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava:363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava:331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java:1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java:587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj
ectDAOHibernate.java:451)
    ... 42 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
(LocalDataSourceConnectionProvider.java:80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareQueryStatement(AbstractBatcher.java:13
9)
    at org.hibernate.loader.Loader.prepareQueryStatement(Loader.java:1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hibernate.loader.Loader.doQueryAndListInitalizeNonLazyCollections(Loader.j
ava:2

```

36)

```

    at org.hibernate.loader.Loader.doList(Loader.java:2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hibernate.loader.Loader.list(Loader.java:2096)
    at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java:378)
    at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java:1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java:79)
    at
org.openvpms.component.business.dao.hibernate.ImplMOjectDAOHibernate$.doInHibernate(ImplMOjectDAOHibernate.java:619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:358)
    ... 46 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
    ... 64 more
17 Jul 2009 11:02:15,187 ERROR [/openvpms], Thread-1: 3768 - Exception sending
context initialized event to listener instance of class
org.acegi.security.ui.session.HttpSessionEventPublisher
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.impl.common.ImplMOjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.impl.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.impl.common.ImplMOjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.impl.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.impl.common.ImplMOjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.impl.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.ImplMOjectDAOHibernate.get(ImplMOje
ctDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB.loadAssertionTypeDescriptors(ArchetypDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.Archetyp
DescriptorCacheDB.<init>(ArchetypDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)

```

```

Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
        at java.lang.reflect.Constructor.newInstance(Unknown Source)
        at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
        at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java:75)
        at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autom
owireConstructor(AbstractAutowireCapableBeanFactory.java:669)
        at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
        at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
        at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
        at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
        at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
        at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
        at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Contex
tLoader.java:230)
        at
org.springframework.web.context.ContextLoader.instantiateWebApplicationContext(Contex
tLoader.java:156)
        at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
        at
org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3764
)
        at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
        at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)
        at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
        at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
        at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
        at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
        at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)
        at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1150)
        at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:311)
        at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.ja
va:120)
        at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1022)
        at org.apache.catalina.core.StandardHost.start(StandardHost.java:736)
        at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1014)
        at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
        at
org.apache.catalina.core.StandardService.start(StandardService.java:448)
        at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)

```

openvpms-ful l

```
at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
at sun.reflect.NativeMethodAccessorImpl.invoke0(NativeMethod)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
at
org.springframework.jdbc.support.SQLExceptionCodeSQLExceptionTranslator.translate(SQL
LErrorCodeSQLExceptionTranslator.java:257)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(
HibernateAccessor.java:424)
at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java:411)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava:363)
at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava:331)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java:1093)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java:587)
at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj
ectDAOHibernate.java:451)
... 42 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
6)
at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
(LocalDataSourceConnectionProvider.java:80)
at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:13
9)
at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
at org.hibernate.loader.Loader.doQuery(Loader.java:673)
at
org.hibernate.loader.Loader.doQueryAndListNonLazyCollections(Loader.java:2
36)
at org.hibernate.loader.Loader.doList(Loader.java:2213)
at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
at org.hibernate.loader.Loader.list(Loader.java:2096)
at org.hibernate.loader.hql.QueryLoader.list(QueryLoader.java:378)
at
```

```

                                openvpms-ful l
org. hi bernate. hql . ast. QueryTransl atorImpl . l i st(QueryTransl atorImpl . j ava: 338)
    at
org. hi bernate. engi ne. query. HQLQueryPl an. performLi st(HQLQueryPl an. j ava: 172)
    at org. hi bernate. impl . Sessi onImpl . l i st(Sessi onImpl . j ava: 1121)
    at org. hi bernate. impl . QueryImpl . l i st(QueryImpl . j ava: 79)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. l MObj ectDAOHi bernate$5. do l nHi be
r nate(l MObj ectDAOHi bernate. j ava: 619)
    at
org. spri ngframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 358)
    ... 46 more
Caused by: j ava. l ang. Cl assNotFoundExcepti on: com. mysql . j dbc. Dri ver
    at
org. apache. catal i na. l oader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. j ava: 13
86)
    at
org. apache. catal i na. l oader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. j ava: 12
32)
    at j ava. l ang. Cl assLoader. l oadCl assInternal (Unknown Source)
    at j ava. l ang. Cl ass. forName0(Nati ve Method)
    at j ava. l ang. Cl ass. forName(Unknown Source)
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. j ava: 76
0)
    ... 64 more
17 Jul 2009 11:35:51,367 WARN JDBCExcepti onReporter, Thread-1: 77 - SQL Error: 0,
SQLState: null
17 Jul 2009 11:35:51,367 ERROR JDBCExcepti onReporter, Thread-1: 78 - Cannot l oad
JDBC dri ver class 'com. mysql . j dbc. Dri ver'
17 Jul 2009 11:35:51,367 WARN Setti ngsFactory, Thread-1: 117 - Cou l d not obtai n
connecti on metadata
org. apache. commons. dbcp. SQLNestedExcepti on: Cannot l oad JDBC dri ver class
'com. mysql . j dbc. Dri ver'
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. j ava: 76
6)
    at
org. apache. commons. dbcp. Basi cDataSource. getConnecti on(Basi cDataSource. j ava: 540)
    at
org. spri ngframework. orm. hi bernate3. Local DataSourceConnecti onProvi der. getConnecti
on(Local DataSourceConnecti onProvi der. j ava: 80)
    at
org. hi bernate. cfg. Setti ngsFactory. bui l dSetti ngs(Setti ngsFactory. j ava: 84)
    at
org. hi bernate. cfg. Confi gurati on. bui l dSetti ngs(Confi gurati on. j ava: 2073)
    at
org. hi bernate. cfg. Confi gurati on. bui l dSessi onFactory(Confi gurati on. j ava: 1298)
    at
org. spri ngframework. orm. hi bernate3. Local Sessi onFactoryBean. newSessi onFactory(Loc
al Sessi onFactoryBean. j ava: 777)
    at
org. spri ngframework. orm. hi bernate3. Local Sessi onFactoryBean. afterProperti esSet(Loc
al Sessi onFactoryBean. j ava: 703)
    at
org. spri ngframework. beans. factory. support. AbstractAutowi reCapabl eBeanFactory. i nv
okel ni tMethods(AbstractAutowi reCapabl eBeanFactory. j ava: 1058)
    at
org. spri ngframework. beans. factory. support. AbstractAutowi reCapabl eBeanFactory. cre
ateBean(AbstractAutowi reCapabl eBeanFactory. j ava: 363)
    at
org. spri ngframework. beans. factory. support. AbstractBeanFactory. getBean(AbstractBe
anFactory. j ava: 226)
    at
org. spri ngframework. beans. factory. support. AbstractBeanFactory. getBean(AbstractBe
anFactory. j ava: 147)
    at
org. spri ngframework. beans. factory. support. Defaul tLi stabl eBeanFactory. prel nstanti

```

```

ateSingletons(DefaultLifecycleBeanFactory.java: 269)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java: 318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java: 134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Context
tLoader.java: 230)
    at
org.springframework.web.context.ContextLoader.instantiateWebApplicationContext(ContextL
oader.java: 156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java: 48)
    at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java: 3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java: 760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java: 740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java: 544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java: 831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java: 720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java: 490)
    at org.apache.catalina.startup.HostConfig.start(HostConfig.java: 1150)
    at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java: 311)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.j a
va: 120)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java: 1022)
    at org.apache.catalina.core.StandardHost.start(StandardHost.java: 736)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java: 1014)
    at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java: 443)
    at
org.apache.catalina.core.StandardService.start(StandardService.java: 448)
    at
org.apache.catalina.core.StandardServer.start(StandardServer.java: 700)
    at org.apache.catalina.startup.Catalina.start(Catalina.java: 552)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java: 295)
    at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java: 433)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 13
86)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 12
32)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
0)
    ... 41 more

```

openvpms-full

```
extracting database product name - falling back to empty error codes
org.springframework.jdbc.support.MetaDataAccessException: Could not get
Connection for extracting meta data; nested exception is
org.springframework.jdbc. CannotGetJdbcConnectionExcepi on: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp. SQLNestedExcepi on:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.springframework.jdbc. CannotGetJdbcConnectionExcepi on: Could not get JDBC
Connection; nested exception is org.apache.commons.dbcp. SQLNestedExcepi on:
Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
org.apache.commons.dbcp. SQLNestedExcepi on: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp. BasicDataSource. createDataSource(BasicDataSource.java: 76
6)
    at
org.apache.commons.dbcp. BasicDataSource. getConnecti on(BasicDataSource.java: 540)
    at
org.springframework.jdbc.datasource. DataSourceUtils. doGetConnecti on(DataSourceUt
ils.java: 107)
    at
org.springframework.jdbc.datasource. DataSourceUtils. getConnecti on(DataSourceUt i
s.java: 77)
    at
org.springframework.jdbc.support. JdbcUtils. extractDatabaseMetaData(JdbcUtils.j av
a: 164)
    at
org.springframework.jdbc.support. JdbcUtils. extractDatabaseMetaData(JdbcUtils.j av
a: 204)
    at
org.springframework.jdbc.support. SQLExceptionCodesFactory. getErrorCodes(SQLErrorCod
eSFactory.java: 185)
    at
org.springframework.jdbc.support. SQLExceptionCodesSQLExcepi onTranslator. setDataSourc
e(SQLExceptionCodesSQLExcepi onTranslator.java: 126)
    at
org.springframework.jdbc.support. SQLExceptionCodesSQLExcepi onTranslator. <ini t>(SQLEr
rorCodeSQLExcepi onTranslator.java: 92)
    at
org.springframework.orm.hibernate3. SessionFactoryUtils. newJdbcExcepi onTranslator(
SessionFactoryUtils.java: 133)
    at
org.springframework.orm.hibernate3. HibernateAccessor. getJdbcExcepi onTranslator(
HibernateAccessor.java: 235)
    at
org.springframework.orm.hibernate3. HibernateTemplate. getSession(HibernateTempl at
e.java: 405)
    at
org.springframework.orm.hibernate3. HibernateTemplate. execute(HibernateTempl ate.j
ava: 347)
    at
org.springframework.orm.hibernate3. HibernateTemplate. execute(HibernateTempl ate.j
ava: 331)
    at
org.openvpms.component.business.dao.hibernate. im.IMObjectDAOHibernate. execute(IM
ObjectDAOHibernate.java: 1093)
    at
org.openvpms.component.business.dao.hibernate. im.IMObjectDAOHibernate. executeQue
ry(IMObjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate. im.IMObjectDAOHibernate. get(IMobje
ctDAOHibernate.java: 451)
    at
org.openvpms.component.business.service.archetype.descriptor.cache. ArchetypeDesc
ri ptorCacheDB. loadAsserti onTypeDescri ptors(ArchetypeDescri ptorCacheDB.java: 84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache. ArchetypeDesc
ri ptorCacheDB. <ini t>(ArchetypeDescri ptorCacheDB.java: 74)
    at sun.reflect. NativeConstructorAccessorImpl. newInstance0(Native Method)
```

openvpms-ful I

```
at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
at java.lang.reflect.Constructor.newInstance(Unknown Source)
at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java: 100)
at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate
e(SimpleInstantiationStrategy.java: 75)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.aut
owireConstructor(AbstractAutowireCapableBeanFactory.java: 669)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java: 329)
at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java: 226)
at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java: 147)
at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java: 275)
at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java: 318)
at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java: 134)
at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Contex
tLoader.java: 230)
at
org.springframework.web.context.ContextLoader.instantiateWebApplicationContext(Contex
tLoader.java: 156)
at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java: 48)
at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java: 3764
)
at
org.apache.catalina.core.StandardContext.start(StandardContext.java: 4216)
at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java: 760)
at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java: 740)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java: 544)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java: 831)
at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java: 720)
at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java: 490)
at org.apache.catalina.startup.HostConfig.start(HostConfig.java: 1150)
at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java: 311)
at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.j a
va: 120)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java: 1022)
at org.apache.catalina.core.StandardHost.start(StandardHost.java: 736)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java: 1014)
at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java: 443)
at
org.apache.catalina.core.StandardService.start(StandardService.java: 448)
at
```

```

                                openvpms-ful
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
  at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
  at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
  at java.lang.reflect.Method.invoke(Unknown Source)
  at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
  at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
  at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
  at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1232)
  at java.lang.ClassLoader.loadClassInternal(Unknown Source)
  at java.lang.Class.forName0(Native Method)
  at java.lang.Class.forName(Unknown Source)
  at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
  ... 58 more
17 Jul 2009 11:35:52,680 WARN JDBCExceptionReporter, Thread-1: 77 - SQL Error: 0,
SQLState: null
17 Jul 2009 11:35:52,680 ERROR JDBCExceptionReporter, Thread-1: 78 - Cannot load
JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 11:35:52,680 WARN JDBCExceptionReporter, Thread-1: 77 - SQL Error: 0,
SQLState: null
17 Jul 2009 11:35:52,680 ERROR JDBCExceptionReporter, Thread-1: 78 - Cannot load
JDBC driver class 'com.mysql.jdbc.Driver'
17 Jul 2009 11:35:52,695 ERROR ContextLoader, Thread-1: 177 - Context
initialization failed
org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'archetypeDescriptorCache' defined in ServletContext resource
[/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested
exception is org.springframework.beans.FatalBeanException: Could not instantiate
class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDes
criptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to
find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescript
orDO with shortName: descriptor.assertionType and instanceName: null.
  at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObje
ctDAOHibernate.java:455)
  at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
  at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDesc
riptionCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown
Source)
  at java.lang.reflect.Constructor.newInstance(Unknown Source)

```

```

    at
org.springframework.beans.BeanUtils.getInstance(Class)(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.getInstance(
SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autom
wireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.cre
ateBean(AbstractAutowireCapableBeanFactory.java:329)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBe
anFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstanti
ateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractA
pplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext
.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(Contex
tLoader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextL
oader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(Context
LoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java:3764
)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)
    at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1150)
    at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:311)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.ja
va:120)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1022)
    at org.apache.catalina.core.StandardHost.start(StandardHost.java:736)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1014)
    at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
    at
org.apache.catalina.core.StandardService.start(StandardService.java:448)
    at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
    at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(NativeMethod)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)

```

```

        openvpms-ful
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
    at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
    org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
    at
    org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:257)
    at
    org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(HibernateAccessor.java:424)
    at
    org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessException(HibernateAccessor.java:411)
    at
    org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:363)
    at
    org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:331)
    at
    org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IMObjectDAOHibernate.java:1093)
    at
    org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQuery(IMObjectDAOHibernate.java:587)
    at
    org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:451)
    ... 42 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
    at
    org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
    at
    org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
    org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java:80)
    at
    org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
    at
    org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
    at
    org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:139)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java:673)
    at
    org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java:236)
    at org.hibernate.loader.Loader.doList(Loader.java:2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hibernate.loader.Loader.list(Loader.java:2096)
    at org.hibernate.hql.QueryLoader.list(QueryLoader.java:378)
    at
    org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)

```

```

                                openvpms-ful l
    at org. hi bernate. impl . Sessi onImpl . l i st(Sessi onImpl . j ava: 1121)
    at org. hi bernate. impl . QueryImpl . l i st(QueryImpl . j ava: 79)
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. l MObj ectDAOHi bernate$5. dol nHi be
rinate(l MObj ectDAOHi bernate. j ava: 619)
    at
org. spri ngframework. orm. hi bernate3. Hi bernateTempl ate. execute(Hi bernateTempl ate. j
ava: 358)
    ... 46 more
Caused by: j ava. l ang. Cl assNotFoundExcepti on: com. mysql . j dbc. Dri ver
    at
org. apache. catal i na. l oader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. j ava: 13
86)
    at
org. apache. catal i na. l oader. WebappCl assLoader. l oadCl ass(WebappCl assLoader. j ava: 12
32)
    at j ava. l ang. Cl assLoader. l oadCl assInternal (Unknown Source)
    at j ava. l ang. Cl ass. forName0(Nati ve Method)
    at j ava. l ang. Cl ass. forName(Unknown Source)
    at
org. apache. commons. dbcp. Basi cDataSource. createDataSource(Basi cDataSource. j ava: 76
0)
    ... 64 more
17 Jul 2009 11:35:52,695 ERROR [/openvpms], Thread-1: 3768 - Excepti on sendi ng
context initialized event to l i stener instance of class
org. spri ngframework. web. context. ContextLoaderLi stener
org. spri ngframework. beans. factory. BeanCreati onExcepti on: Error creati ng bean
with name 'archetypeDescri ptorCache' defi ned in ServletContext resource
[/WEB-INF/applicati onContext.xml]: Instanti ati on of bean failed; nested
excepti on i s org. spri ngframework. beans. FatalBeanExcepti on: Could not i nstanti ate
class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
cri ptorCacheDB]; constructor threw excepti on; nested excepti on i s
org. openvpms. component. busi ness. dao. i m. common. l MObj ectDAOExcepti on: Failed to
find l MObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. i m. archetype. Asserti onTypeDescri pt
orDO with shortName: descri ptor. asserti onType and i nstanceName: null .
org. spri ngframework. beans. FatalBeanExcepti on: Could not i nstanti ate class
[org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDes
cri ptorCacheDB]; constructor threw excepti on; nested excepti on i s
org. openvpms. component. busi ness. dao. i m. common. l MObj ectDAOExcepti on: Failed to
find l MObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. i m. archetype. Asserti onTypeDescri pt
orDO with shortName: descri ptor. asserti onType and i nstanceName: null .
org. openvpms. component. busi ness. dao. i m. common. l MObj ectDAOExcepti on: Failed to
find l MObj ects for class
org. openvpms. component. busi ness. dao. hi bernate. i m. archetype. Asserti onTypeDescri pt
orDO with shortName: descri ptor. asserti onType and i nstanceName: null .
    at
org. openvpms. component. busi ness. dao. hi bernate. i m. l MObj ectDAOHi bernate. get(l MObj e
ctDAOHi bernate. j ava: 455)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. l oadAsserti onTypeDescri ptors(ArchetypeDescri ptorCacheDB. j ava: 84)
    at
org. openvpms. component. busi ness. servi ce. archetype. descri ptor. cache. ArchetypeDesc
ri ptorCacheDB. <i ni t>(ArchetypeDescri ptorCacheDB. j ava: 74)
    at sun. refl ect. Nati veConstructorAccessorImpl . newl nstance0(Nati ve Method)
    at sun. refl ect. Nati veConstructorAccessorImpl . newl nstance(Unknown Source)
    at sun. refl ect. Del egati ngConstructorAccessorImpl . newl nstance(Unknown
Source)
    at j ava. l ang. refl ect. Constructor. newl nstance(Unknown Source)
    at
org. spri ngframework. beans. BeanUti l s. i nstanti ateCl ass(BeauUti l s. j ava: 100)
    at
org. spri ngframework. beans. factory. support. Si mpl eI nstanti ati onStrategy. i nstanti at
e(Si mpl eI nstanti ati onStrategy. j ava: 75)
    at

```

openvpms-ful l

```
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.  
autowireConstructor(AbstractAutowireCapableBeanFactory.java: 669)  
    at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.  
createBean(AbstractAutowireCapableBeanFactory.java: 329)  
    at  
org.springframework.beans.factory.support.AbstractBeanFactory.  
getBean(AbstractBeanFactory.java: 226)  
    at  
org.springframework.beans.factory.support.AbstractBeanFactory.  
getBean(AbstractBeanFactory.java: 147)  
    at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.  
preInstantiateSingletons(DefaultListableBeanFactory.java: 275)  
    at  
org.springframework.context.support.AbstractApplicationContext.  
refresh(AbstractApplicationContext.java: 318)  
    at  
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.  
refresh(AbstractRefreshableWebApplicationContext.java: 134)  
    at  
org.springframework.web.context.ContextLoader.  
createWebApplicationContext(ContextLoader.java: 230)  
    at  
org.springframework.web.context.ContextLoader.  
initWebApplicationContext(ContextLoader.java: 156)  
    at  
org.springframework.web.context.ContextLoaderListener.  
contextInitialized(ContextLoaderListener.java: 48)  
    at  
org.apache.catalina.core.StandardContext.  
ListenerStart(StandardContext.java: 3764)  
    at  
org.apache.catalina.core.StandardContext.  
start(StandardContext.java: 4216)  
    at  
org.apache.catalina.core.ContainerBase.  
addChildInternal(ContainerBase.java: 760)  
    at  
org.apache.catalina.core.ContainerBase.  
addChild(ContainerBase.java: 740)  
    at org.apache.catalina.core.StandardHost.  
addChild(StandardHost.java: 544)  
    at org.apache.catalina.startup.HostConfig.  
deployWAR(HostConfig.java: 831)  
    at  
org.apache.catalina.startup.HostConfig.  
deployWARs(HostConfig.java: 720)  
    at  
org.apache.catalina.startup.HostConfig.  
deployApps(HostConfig.java: 490)  
    at org.apache.catalina.startup.HostConfig.  
start(HostConfig.java: 1150)  
    at  
org.apache.catalina.startup.HostConfig.  
LifecycleEvent(HostConfig.java: 311)  
    at  
org.apache.catalina.util.LifecycleSupport.  
fireLifecycleEvent(LifecycleSupport.java: 120)  
    at org.apache.catalina.core.ContainerBase.  
start(ContainerBase.java: 1022)  
    at org.apache.catalina.core.StandardHost.  
start(StandardHost.java: 736)  
    at org.apache.catalina.core.ContainerBase.  
start(ContainerBase.java: 1014)  
    at  
org.apache.catalina.core.StandardEngine.  
start(StandardEngine.java: 443)  
    at  
org.apache.catalina.core.StandardService.  
start(StandardService.java: 448)  
    at  
org.apache.catalina.core.StandardServer.  
start(StandardServer.java: 700)  
    at org.apache.catalina.startup.Catalina.  
start(Catalina.java: 552)  
    at sun.reflect.NativeMethodAccessorImpl.  
invoke0(NativeMethod)  
    at sun.reflect.NativeMethodAccessorImpl.  
invoke(Unknown Source)  
    at sun.reflect.DelegatingMethodAccessorImpl.  
invoke(Unknown Source)  
    at java.lang.reflect.Method.  
invoke(Unknown Source)  
    at org.apache.catalina.startup.Bootstrap.  
start(Bootstrap.java: 295)  
    at org.apache.catalina.startup.Bootstrap.  
main(Bootstrap.java: 433)  
Caused by: org.springframework.jdbc. UncategorizedSQLException: Hibernate  
operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL
```

```

                                openvpms-ful l
state [null]; error code [0]; Cannot load JDBC driver class
'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class
'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:96)
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionTranslator.java:257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessException(HibernateAccessor.java:424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessException(HibernateAccessor.java:411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IMObjectDAOHibernate.java:1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQuery(IMObjectDAOHibernate.java:587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:451)
    ... 42 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:766)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java:540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection(LocalDataSourceConnectionProvider.java:80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java:423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java:144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java:139)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java:1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java:673)
    at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java:236)
    at org.hibernate.loader.Loader.doList(Loader.java:2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java:2136)
    at org.hibernate.loader.Loader.list(Loader.java:2096)
    at org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:378)
    at org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java:338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java:172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java:1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java:79)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.doInHibernate(IMObjectDAOHibernate.java:619)
    at

```

openvpms-ful l

```
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.java:358)
    ... 46 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1386)
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:1232)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:760)
    ... 64 more
17 Jul 2009 11:35:52,695 ERROR [/openvpms], Thread-1: 3768 - Exception sending context initialized event to listener instance of class
org.acegi.security.ui.session.HttpSessionEventPublisher
org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'archetypeDescriptorCache' defined in ServletContext resource [/WEB-INF/applicationContext.xml]: Instantiation of bean failed; nested exception is org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO with shortName: descriptor.assertionType and instanceName: null.
org.springframework.beans.FatalBeanException: Could not instantiate class
[org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB]; constructor threw exception; nested exception is
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO with shortName: descriptor.assertionType and instanceName: null.
org.openvpms.component.business.dao.im.common.IMObjectDAOException: Failed to find IMObjects for class
org.openvpms.component.business.dao.hibernate.im.archetype.AssertionTypeDescriptorDO with shortName: descriptor.assertionType and instanceName: null.
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObjectDAOHibernate.java:455)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.loadAssertionTypeDescriptors(ArchetypeDescriptorCacheDB.java:84)
    at
org.openvpms.component.business.service.archetype.descriptor.cache.ArchetypeDescriptorCacheDB.<init>(ArchetypeDescriptorCacheDB.java:74)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at
org.springframework.beans.BeanUtils.instantiateClass(BeanUtils.java:100)
    at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java:75)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java:669)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:329)
    at
```

openvms-ful l

```
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:226)
    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:147)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:275)
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:318)
    at
org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:134)
    at
org.springframework.web.context.ContextLoader.createWebApplicationContext(ContextLoader.java:230)
    at
org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:156)
    at
org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:48)
    at
org.apache.catalina.core.StandardContext.ListerStart(StandardContext.java:3764)
    at
org.apache.catalina.core.StandardContext.start(StandardContext.java:4216)
    at
org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:760)
    at
org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:740)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:544)
    at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:831)
    at
org.apache.catalina.startup.HostConfig.deployWARs(HostConfig.java:720)
    at
org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:490)
    at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1150)
    at
org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:311)
    at
org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:120)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1022)
    at org.apache.catalina.core.StandardHost.start(StandardHost.java:736)
    at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1014)
    at
org.apache.catalina.core.StandardEngine.start(StandardEngine.java:443)
    at
org.apache.catalina.core.StandardService.start(StandardService.java:448)
    at
org.apache.catalina.core.StandardServer.start(StandardServer.java:700)
    at org.apache.catalina.startup.Catalina.start(Catalina.java:552)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:295)
    at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:433)
Caused by: org.springframework.jdbc.UncategorizedSQLException: Hibernate operation: Cannot open connection; uncategorized SQLException for SQL [???]; SQL state [null]; error code [0]; Cannot load JDBC driver class 'com.mysql.jdbc.Driver'; nested exception is
org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver class 'com.mysql.jdbc.Driver'
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQLExceptionState
```

```

teSQLExceptionTranslator.java: 96)
    at
org.springframework.jdbc.support.SQLExceptionTranslator.translate(SQL
SQLExceptionTranslator.java: 257)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertJdbcAccessExcepti
on(HibernateAccessor.java: 424)
    at
org.springframework.orm.hibernate3.HibernateAccessor.convertHibernateAccessExcep
tion(HibernateAccessor.java: 411)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava: 363)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava: 331)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.execute(IM
ObjectDAOHibernate.java: 1093)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.executeQue
ry(IMObjectDAOHibernate.java: 587)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate.get(IMObj
ectDAOHibernate.java: 451)
    ... 42 more
Caused by: org.apache.commons.dbcp.SQLNestedException: Cannot load JDBC driver
class 'com.mysql.jdbc.Driver'
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java: 76
6)
    at
org.apache.commons.dbcp.BasicDataSource.getConnection(BasicDataSource.java: 540)
    at
org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider.getConnection
on(LocalDataSourceConnectionProvider.java: 80)
    at
org.hibernate.jdbc.ConnectionManager.openConnection(ConnectionManager.java: 423)
    at
org.hibernate.jdbc.ConnectionManager.getConnection(ConnectionManager.java: 144)
    at
org.hibernate.jdbc.AbstractBatcher.prepareStatement(AbstractBatcher.java: 13
9)
    at org.hibernate.loader.Loader.prepareStatement(Loader.java: 1547)
    at org.hibernate.loader.Loader.doQuery(Loader.java: 673)
    at
org.hibernate.loader.Loader.doQueryAndInitializeNonLazyCollections(Loader.java: 2
36)
    at org.hibernate.loader.Loader.doList(Loader.java: 2213)
    at org.hibernate.loader.Loader.listUsingQueryCache(Loader.java: 2136)
    at org.hibernate.loader.Loader.list(Loader.java: 2096)
    at org.hibernate.hql.QueryLoader.list(QueryLoader.java: 378)
    at
org.hibernate.hql.ast.QueryTranslatorImpl.list(QueryTranslatorImpl.java: 338)
    at
org.hibernate.engine.query.HQLQueryPlan.performList(HQLQueryPlan.java: 172)
    at org.hibernate.impl.SessionImpl.list(SessionImpl.java: 1121)
    at org.hibernate.impl.QueryImpl.list(QueryImpl.java: 79)
    at
org.openvpms.component.business.dao.hibernate.im.IMObjectDAOHibernate$5.doInHi
bernate(IMObjectDAOHibernate.java: 619)
    at
org.springframework.orm.hibernate3.HibernateTemplate.execute(HibernateTemplate.j
ava: 358)
    ... 46 more
Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java: 13

```

openvpms-ful l

86)

```
    at
org.apache.catalina.loader.WebappClassLoader.loadClass(WebappClassLoader.java:12
32)
    at java.lang.ClassLoader.loadClassInternal(Unknown Source)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Unknown Source)
    at
org.apache.commons.dbcp.BasicDataSource.createDataSource(BasicDataSource.java:76
0)
    ... 64 more
```